

Implementation of the Affine Segmentation Point Method and Image Blending Techniques in Creating New Songket Motifs

by Agung Ramadhanu

Submission date: 27-Mar-2023 10:26AM (UTC+0700)

Submission ID: 2047548879

File name: and_Image_Blending_Techniques_in_Creating_New_Songket_Motifs.pdf (985.7K)

Word count: 4533

Character count: 23543

Implementation of the Affine Segmentation Point Method and Image Blending Techniques in Creating New Songket Motifs

45 Agung Ramadhani
Information System
Universitas Putra Indonesia YPTK
Padang, Indonesia
agung_ramadhani@upiyptk.ac.id

54 Jufriadif Na'am
Information Technology
Universitas Putra Indonesia YPTK
Padang, Indonesia
jufriadifnaam@gmail.com

Gunadi Widi Nurcahyo
Information Technology
Universitas Putra Indonesia YPTK
Padang, Indonesia
gunadiwidi@yahoo.co.id

49 Yuhandri
Information Technology
Universitas Putra Indonesia YPTK
Padang, Indonesia
yuyu@upiyptk.ac.id

Abstract—In this study, we made two new Songket Silungkang motifs and then tested them, then we combined two new Songket motifs. The purpose of this research is to create a new Songket motif twice and then tested then combine the two Songket motifs to create a newer Songket motif. The method we use to create a new Songket motif is a modification of the Affine method which we named the Affine Segmentation Point (ASP) method twice to create two new Silungkang Songkets. Then, we tested the two new motifs using the histogram method to test whether the motifs did not lose their original characteristics of the motifs. Furthermore, we combined the two motifs (blending) using the image blending technique method to get a newer motif with the aim of creating a more modern and aesthetic Songket Silungkang motif. We also made a computer application using the Matlab programming language for the implementation of the findings of this study. The result of this research is researchers can get new Songket motifs that are more modern and aesthetic by combining Songket motifs that have been reconstructed from the previous affine segmentation point (ASP) method. The important point of this study is how researchers can produce a user-friendly system for operating the Songket motif reconstruction system and the incorporation of Songket motifs so that the users of this system include Songket craftsmen, Songket artists, and Songket observers.

Keywords—Affine Segmentation Point (ASP) Method, Image Blending Techniques, New Songket Motifs

I. INTRODUCTION

The end product of a traditional craft in which the primary material (cloth) is composed of yarn is a songket (cotton, silk, etc.) Songket is derived from the Malay and Indonesian word "Sungkit," which means "to hook" or "to gouge." This relates to the manufacturing process of hooking and taking a specific quantity of threads [1]. The Silungkang neighborhood of Sawah Lunto City, West Sumatra Province, is one of the regions in Indonesia with the best Songket motifs or designs [2]. One of the best regions and the main producer of Songket casinos in West Sumatra and Indonesia is Silungkang. Songket is frequently utilized at traditional official occasions and weddings [3].

The Silungkang Songket weaving period has been started in 1375 AD until now, which has a relatively unchanging motif from the woven (Songket) [4]. The introduction of Silungkang Songket in the international world has been listed on the Sawahlunto city mission. The affine method, which is

a method for reconstructing Songket motifs, is supported by the advantages of transforming objects in rotation, shifting, and bending [5]–[7]. This is an important point for the success of this study in reconstructing Songket motifs systematically. Without changing the meaning associated with customary norms and rules, Songket can be used as guidelines in life because the motif is very complex in the object. Therefore, it is necessary to develop the value of the Affine transformation matrix in which the Affine transformation has a symmetric positive manifold matrix value [8]–[11]. It belongs to the Lie group structure and does not obey Euclidean space [12]–[15].

The parallel straight lines in the photos are modified by the Affine transform, but the relative distances within the triangles are left unaltered. This results in a textile mapping. In essence, the Affine transformation can turn, shift, and bend; this is used by several other transformation techniques (fractal transformation) to alter the designs of batik. In Lampung batik modeling, transformations like shifting [16], [17], mirroring [18], [19], rotation [20], [21], and dilation [22], [23] can be applied to make batik, particularly the Lampung batik motif. Batik may more easily repeat motifs in a sequence thanks to the use of shifts in the creation of batik Lampung. Due to the same Batik pattern having varied shapes, rotation can create patterns that are reversed, mirrors can create the same side by side, and dilation can create patterns that are enlarged or shrunk. This has not been able to use geometric changes to its advantage in rebuilding the Songket or Batik motif during the creation of Batik. Fractal geometric patterns must also be used in Sekar Jagad modeling, with the aid of other applications, geometric transformations, and other techniques. Thus, the geometric transformation is still not independent in the processing of the reconstruction even for the reconstruction of batik or Songket motifs [24], [25]. Songket motifs (nyukit) evolve extremely slowly since making them is a tough procedure that not all weavers can complete.

Several studies on colonization that are connected to affine transformation have been completed by [26]. The area from the triangle AOB is always the same as the AO0B0 region, according to the geometric interpretation that there is a transformable pedestrian area. At this point, we will discuss permission. Tensor permittivity can be selected in analysis to indicate positions AOB and AO0B0. The solution can be

understood by assuming that transformation only occurs within node x [that is, $y_0 y$]. [27] Appropriate ratio takes into account the ratio of the number of dots features that are appropriate between the original image and the version that was created using the original image. It can be seen that the required ratio is closer to 60% for the operation of generating a standard image.

In this study, the 1st Affine Segmentation Point (ASP) method was applied to create a new songket motif 1 then applied the 2nd Affine Segmentation Point (ASP) method to create a new songket motif 2. Next, testing was carried out on the two new songket motifs produced by the method ASP 1 and testing of the new songket motifs produced by the ASP 2 method using the histogram testing method. This is done with the aim that the new songket motifs produced do not lose the original characteristics of the new motifs produced. Next, combine the images of the two new songket motifs, namely the ASP Songket Motif 1 with the ASP Songket Motif 2 to get a more modern and aesthetic songket motif.

II. METHODOLOGY

This research uses framework research like figure 1 below. We divided the framework research into four steps that are data collection, processing and transformation, Processing Transformation (Research Core) and Research results (New Motifs), and Processing Blending.




Fig. 1. Research Framework

Fig. 1 shows the methodology steps that doing in this research. From the top is the first step and at the bottom is the fifth step. The first step we doing Data Collection which is to collect all data that is needed for the research especially the image data of Songket motifs. After that, we process and transform the data using Convert RGB to YCbCr, Contrast Enhancement, and Noise Reduction. Next we Processing Transformation (Research Core) and Research Result (New Motifs). Then we do Histogram Test. Last we do Processing Blending.

The target of this research is how to get a new motif which is the result of combining reconstruction motifs from the development of the affine method, which is packaged in a very applicable application form to provide unlimited access for songket artists in spending their knowledge in the field of art. In Figure 1, we can see several stages which are summarized in one sketch, namely the research framework. The first step in this research is we capture the digital image of Songket Motif. This data collection contains the original image that is used as input data. The image used is Image Songket in the form of a file with *.jpg format. All test images used are color images with a pixel size of 1080 x 1350 pixels, where the purpose of this site is to process the dimensions of the test image to be studied. The process of taking songket images is by taking them / taking photos directly on songket fabrics available to songket craftsmen and sellers in the West Sumatra area. The tool used is a Digital Camera with the Sony A7 Mark II Brand.

In the second step, In carrying out motif extraction, a cropping technique is used, namely a rectangle crop, which reduces the size of an image by cutting the image at predetermined coordinates in an area [28]–[30]. To extract motifs (cropping songket picture motifs), to obtain the motif of the Silungkang songket image. The cropping method can be seen in figure 2 below:




Fig. 2. (a) Property Area For Cropping, (b) Image Cropping Process

In the third step, we converted the RGB songket image into YCbCr image using the YcbCr color space conversion approach using the cropped image's results to streamline the subsequent step of the process and improve the number of incentives attained. To convert the image we used the formula below:

$$Y = YCbCr(:, :, 1) \quad (1)$$

$$Cb = YCbCr(:, :, 2) \quad (2)$$

$$Cr = YCbCr(:, :, 3) \quad (3)$$

After that, in the fourth step, we will perform contrast enhancement (improving the songket motif's image quality) using the results of the YCbCr color space conversion above [31], [32], employing the technique of contrast stretching, which can maximize the motif's image with the extension of the YCbCr color space. Next the fifth step, the researcher will also do a noise reduction procedure using the outcomes of the contrast enhancement process (removing noise from the image of songket motifs), employing the median filter approach [33]–[35], which has the purpose of removing pixel

noise and replacing it with pixels nearby. Next the sixth step, the Affine technique will then be modified namely Affine Segmentation Point (ASP) method two times. The first ASP method produces the first Songket motifs and the second ASP method produces second Songket motifs. To modify Affine method to be ASP Method we use the formula below:

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} + \begin{bmatrix} t_x \\ t_y \end{bmatrix} \left\{ \begin{array}{l} [q] = \min\{p \in Z | p \geq x\} \\ [q] = \max\{p \in Z | p \leq x\} \end{array} \right. \quad (4)$$

$$x = p + t_x \quad (5)$$

$$y_1 = (\min)q + t_y \quad (6)$$

$$y_2 = (\max)q + t_y \quad (7)$$

Where: p = the input integer value; q = the real number; x = the same as 1; y = the same as 1; y_1 = the minimum real number; y_2 = the maximum real number; and Matriks transformation: (x',y') (x,y) , The coordinates $(\min)q$ and $(\max)q$ represent the minimum and maximum values of the area around the point Point, respectively, and t_x, t_y represents the translation value.

In the seventh step, the new Songket motif produced by ASP Method 1 and ASP Method 2 is tested by using histogram testing. This is done with the aim that the new songket motifs produced do not lose the original characteristics of the new motifs produced. In the eighth step, two new Songket motif is blended into one new Songket motif to make a new motif that is more modern and aesthetic using this formula below:

$$C(x, y) = wa . A(x, y) + wb . B(x, y) \quad (8)$$

Where: $C(x, y)$: the result of image blending, wa : weight of image A, $A(x, y)$: Image A, wb : weight of image B, $B(x, y)$: Image B. $wa + wb = 1$

III. RESULT AND DISCUSSION

A. Data Collection

This test image consists of an image of Silungkang songket cloth, totaling 5 images, the results of processing the image will get many motifs that have been reconstructed and combined to get a modern and aesthetic motif that does not eliminate the identity of the old motif. One of Silungkang Songket cloth motifs can be seen in figure 0033 below:




Fig. 3. Example of Silungkang Songket Cloth Motif

B. Preprocessing and Transformation

Preprocessing data consists of several processes that can make the input image better than the beginning, including color space conversion, improving image color quality, and eliminating damaged image pixels/noise reduction, among these preprocessing, using methods and techniques in image

processing that can produce input image quality that is following the wishes of the researcher, which aims to obtain high-quality input data.

1. Motif Extraction

In Figure 2, it can be seen that the coordinates of the image area to be cut are formed, to form the desired cut image. In this rectangular crop technique, the selected coordinates form a minimum of 3 sides to an unlimited number of sides. Figure 4 below, it shows the image of the Silungkang songket motif that has been cut using the rectangle cropping technique.



Fig. 4. Various Songket Motifs

It is clear that the results of the image cutting using the rectangle cropping technique, this technique produces an image with precise cutting results between the sides of the image. The images tested in the cutting are 5 different Silungkang Songket Fabrics - different for each motif in it.

2. YCbCr Color Space Conversion

Furthermore, from the results of cropping the image, the researchers carried out the Preprocessing and Transformations stage, namely continuing the process of converting Songket RGB to YCbCr images using the YCbCr color space conversion method, which aims to simplify the next stage process and maximize the motifs obtained. The result of Color Space Conversion can be seen in Figure 5.




Fig. 5. (a) Original Songket Image Extracted, (b) Image Conversion to YCbCr Color Space

3. Contrast Enhancement

Furthermore, from the results of the conversion of the YCbCr color space above, the researcher will perform contrast enhancement using the contrast stretching method, which can maximize the motif image with the extension of the YCbCr color space. The result of contrast enhancement can be seen in figure 6.




Fig. 6. (a) Songket Image Color Space YCbCr, (b) Image Result Process Contrast Enhancement

4. Noise Reduction

Furthermore, from the results of the contrast enhancement process above, the researcher will carry out a noise reduction process (removing noise in the Songket motif image), in which the researcher will use the median filter method, with the function of removing pixel noise and replacing it with pixels that are around it. The result of noise reduction can be seen in figure 7.




Fig. 7. (a) Songket Image Color Space YCbCr, (b) Image Result Process Contrast Enhancement

C. Processing and Transformation

1. ASP Method

The next process is Processing Transformations, namely modifying the Affine method, which currently the Affine method is only able to bend all pixels of an image, for the problem above the researchers developed the Affine method which is more suitable and suitable for use with the image of the Songket Silungkang motif which already from the previous noise reduction process, in which the researcher will bend the Songket image motif based on the top and bottom points (X and Y axes), to produce good curves from the specified side. The result of ASP Method can be seen in figure 8 below.




Fig. 8. (a) Image Result of Noise Reduction Process, (b) Image of ASP Processing Results

2. Histogram Test

An image histogram is a graph that depicts the distribution of pixel intensity values of an image or a certain part of the image. From the histogram will be obtained the frequency of occurrence relative (relative) to the intensity in the image. In addition, the histogram also shows the brightness (brightness) and contrast (contrast) of an image. Therefore, the histogram can be used as an image processing method that works both qualitatively and quantitatively. In digital images that have L degrees of gray are from 0 to L-1.

Testing using histograms is a step taken to determine whether the image that has been generated using the ASP method still has the same characteristics as the initial image before processing. This is done to produce an image that is not too much different from the initial image.

The first column in the table is the Songket Motif name, and the second column is the pixel size of the songket motif image. The third and fourth columns are the pixel height and width of the songket motif image. The fifth column in the table is the graphical result of the histogram test from the songket motif image. The first row of motif songket is the result histogram test of the original songket motif and the second row is the result histogram test of the ASP method and so on. The result of all the Histogram tests can be seen in Table 1.

TABLE I. HISTOGRAM TEST RESULT

Nama Motif	Pixel Size	Pixel Height	Pixel Width	Histogram
Rangkiang Lumbung Padi Besar	33,721	770	654	
Rangkiang Lumbung Padi Besar	35,576	770	654	
Pucuk Rebung	30,115	749	515	
Pucuk Rebung	32,120	749	515	
Bungo Kipas	30,660	525	489	
Bungo Kipas	31,295	525	489	
Bungo Tulip	13,697	702	432	
Bungo Tulip	13,697	702	432	
Tampuak Manggih	31,603	687	577	
Tampuak Manggih	33,188	687	577	

D. Processing Blending Image

The next process is the process of merging motifs that have been reconstructed using the development of the affine method, to get modern and aesthetic motifs that do not eliminate the meaning and identity of the motifs. The result of the blending motif can be seen in figure 9 below:




Fig. 9. Image of Songket Motif from ASP 1, (b) Image of Songket Motif from ASP 2, (c) Image of Songket Motifs Result of Blending Songket Motifs ASP 1 with ASP 2

E. Design of GUI ASP Method System Application and Bleeding Image

To implement this method [64], we make an application using Matlab. The GUI design of the application can be seen in Figure 10.




Fig. 11. GUI Application Design

IV. CONCLUSION

Based on the results of the research, there are several conclusions. Researchers can get new Songket motifs that are more modern and aesthetic by combining Songket motifs that have been reconstructed from the previous affine segmentation point (ASP) method. The important point of this study is how researchers can produce a user-friendly system for operating the Songket motif reconstruction system and the incorporation of Songket motifs so that the users of this system include Songket craftsmen, Songket artists, and Songket observers. In addition, they also get the convenience of being creative and imagining to create Songket motifs in general or Silungkang Songket motifs in particular which are newer and more modern and aesthetic.

REFERENCES

- [1] A. Ramadhamu, J. Na'am, G. W. Nurcahyo, and Yuhandri, "Development of Affine Transformation Method in the Reconstruction of Songket Motif," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 12, no. 2, pp. 600-631, 2022, doi: 10.18517/ijaseit.12.2.16305.
- [2] M. Zhang, C. Sas, Z. Lambert, and M. Ahmad, "Designing for the infrastructure of the supply chain of Malay handwoven songket in Terengganu," *Conf. Hum. Factors Comput. Syst. - Proc.*, pp. 1-14, 2019, doi: 10.1145/3290605.3300716.
- [3] I. Sedyastuti, E. Suwarni, D. R. Rahadi, and M. A. Handayani, "Human Resources Competency at Micro, Small and Medium Enterprises in Palembang Songket Industry," *Proc. 2nd Annu. Conf. Soc. Sci. Humanit. (ANCOSH 2020)*, vol. 542, no. Ancosh 2020, pp. 248-251, 2021, doi: 10.2991/assr.19.210413.057.
- [4] B. Imran and M. M. Efendi, "The Implementation of Extraction Feature Using Gicm and Back-Propagation Artificial Neural Network to Classify Lombok Songket Woven Cloth," *J. Techno Nusa Mandiri*, vol. 17, no. 2, pp. 131-136, 2020, doi: 10.33480/techno.v17i2.1680.
- [5] N. Vallez, G. Bueno, O. Deniz, and S. Blanco, "Diffeomorphic transforms for data augmentation of highly variable shape and texture object," *Comput. Methods Programs Biomed.*, vol. 219, p. 106775, 2022, doi: 10.1016/j.cmpb.2022.106775.
- [6] W. Shang, S. Liu, J. Wang, and R. Shao, "Analysis and reduction of error caused by tested object using fringe projection technique with wavelet transform," *Optik (Stuttg.)*, vol. 221, no. July, p. 165372, 2021, doi: 10.1016/j.ijleo.2020.165372.
- [7] X. Kuang, X. Gao, L. Wang, G. Zhao, L. Ke, and Q. Zhang, "A discrete cosine transform-based query efficient attack on black-box object detectors," *Inf. Sci. (Nij.)*, vol. 546, pp. 596-607, 2021, doi: 10.1016/j.ins.2020.05.089.
- [8] G. O. Berger and M. Rabi, "Bounds on set exit times of at least 40 systems, using Linear Matrix Inequalities," *IFAC-PapersOnLine*, vol. 54, no. 5, pp. 283-288, 2021, doi: 10.1016/j.ifacol.2021.08.512.
- [9] M. M. Alam and S. M. Mahbubur Rahman, "Affine transformation of virtual 3D object using 2D localization of fingertips," *Virtual Real. Intell. Hardw.*, vol. 2, no. 6, pp. 534-555, 2020, doi: 10.1016/j.vrih.2020.10.001.
- [10] M. Ramalingam, N. A. Mat Isa, and R. Puvirasi, "A secured data hiding using affine transformation in video steganography," *Proc. 68th Comput. Sci.*, vol. 171, no. 2019, pp. 1147-1156, 2020, doi: 10.1016/j.procs.2020.04.123.
- [11] R. Hattori and T. Komiya, "PatchWarp: Corrections of non-

- uniform image distortions in two-photon calcium imaging by patchwork affine transformations," *Cell Reports Methods*, vol. 2, no. 35, 100205, 2022, doi: 10.1016/j.cmeth.2022.100205.
- [12] T. Novello, V. da Silva, and L. Velho, "Global identification of non-Euclidean spaces," *Comput. Graph.*, vol. 93, pp. 61–70, 2020, doi: 10.1016/j.cag.2020.09.014.
- [13] B. Colbois and K. Gittins, "Upper bounds for Steklov eigenvalues of submanifolds in Euclidean space via the intersection index," *Differ. Geom. its Appl.*, vol. 78, p. 101777, 2021, doi: 10.1016/j.difgeo.2021.101777.
- [14] A. Antoniadis, R. Hoeksma, S. Kisfaludi-Bak, and K. Schewior, "Online search for a hyperplane in high-dimensional Euclidean space," *Inf. Process. Lett.*, vol. 177, p. 106262, 2022, doi: 10.1016/j.ipl.2022.106262.
- [15] O. Mitra and P. Sankaran, "Embedding certain diffeomorphism groups in the quasi-isometry groups of Euclidean spaces," *Topol. Appl.*, vol. 265, p. 106833, 2019, doi: 10.1016/j.topol.2019.106833.
- [16] N. J. Rowan *et al.*, "Digital transformation of peatland eco-innovations ('Paludiculture'): Enabling a paradigm shift towards the real-time sustainable production of 'green friendly' products and services," *Sci. Total Environ.*, vol. 838, no. April, p. 156328, 2022, doi: 10.1016/j.scitotenv.2022.156328.
- [17] N. Voulvoulis *et al.*, "Systems thinking as a paradigm shift for sustainability transformation," *Glob. Environ. Chang.*, vol. 75, no. August 2021, p. 102544, 2022, doi: 10.1016/j.gloenvcha.2022.102544.
- [18] K. Chan and N. C. Leung, "Mirror symmetry for Fano manifolds via SYZ transformations," *Adv. Math. (N. Y.)*, vol. 223, no. 3, pp. 797–839, 2010, doi: 10.1016/j.aim.2009.09.009.
- [19] H. Iritani, "Quantum D-modules and generalized mirror transformations," *Topology*, vol. 47, no. 4, pp. 225–276, 2008, doi: 10.1016/j.top.2007.07.001.
- [20] M. Myszkowski, "A new perspective on spacetime 4D rotations the SO(4) transformation group," *Results Phys.*, vol. 13, no. September 2018, p. 102141, 2019, doi: 10.1016/j.rinp.2019.02.077.
- [21] C. Hilton, L. Raddatz, and K. Gramann, "A general spatial transformation process? Assessing the neurophysiological evidence on the similarity of mental rotation and folding," *Neuroimage: Reports*, vol. 2, no. 2, p. 100092, 2022, doi: 10.1016/j.nirp.2022.100092.
- [22] Q. Li, X. Xu, J. Hu, and Z. Zhou, "Investigation of unsaturated frozen soil behavior: Phase transformation state, post-peak strength, and dilatancy," *Soils Found.*, vol. 58, no. 4, pp. 928–940, 2018, doi: 10.1016/j.sandf.2018.05.003.
- [23] M. Q. Jiang, G. Wilde, F. Jiang, and L. H. Dai, "Understanding ductile-to-brittle transition of metallic glasses from shear transformation zone dilatation," *Theor. Appl. Mech. Lett.*, vol. 5, no. 14, p. 200–204, 2015, doi: 10.1016/j.taml.2015.09.002.
- [24] Y. Dhassi, S. Elkah, and A. Aarab, "Gradient descent optimization for visual tracking with geometrics transformation adaptation," *Proc. Comput. Sci.*, vol. 148, pp. 164–170, 2019, doi: 10.1016/j.procs.2019.01.020.
- [25] S. Klinaku, "Results in Geometric representation of the Galilean transformation," *Results Phys.*, vol. 39, no. April, p. 105719, 2022, doi: 10.1016/j.rinp.2022.105719.
- [26] Y. H. Feng, R. H. Zhang, and S. Zhai, "Road elevation estimation based on affine transformation and stereo matching," *J. Phys. Conf. Ser.*, vol. 1601, no. 6, 2020, doi: 10.1088/1751-5996/1601/6/062015.
- [27] X. Gao, S. Member, C. Deng, and X. Li, "Watermarking in Affine Covariant Regions," *IEEE Trans. Syst. MAN, Cybern. C Appl. Rev.*, vol. 40, no. 3, pp. 278–286, 2010.
- [28] I. K. B. Keresztes, M. Louargant, M. Donias, and J. P. Da Costa, "An annotated image dataset of vegetable crops at early stage of growth for proximal sensing applications," *Data Br.*, vol. 42, p. 8035, 2022, doi: 10.1016/j.dib.2022.108035.
- [29] H. I. Shahadi, A. T. Thahab, and H. R. Farhan, "A novel robust approach for image copyright protection based on concentric rectangles," *J. King Fahd Univ. - Comput. Inf. Sci.*, vol. 34, no. 4, pp. 1263–1274, 2020, doi: 10.1016/j.jksuci.2020.06.006.
- [30] M. T. Wakjira *et al.*, "Rainfall seasonality and timing: implications for crop production in Ethiopia," *Agric. For. Meteorol.*, vol. 40, p. 108633, 2021, doi: 10.1016/j.agrformet.2021.108633.
- [31] R. Sinhal, D. K. Jain, and I. A. Ansari, "Machine learning based blind color image watermarking scheme for copyright protection," *Pat. Recognit. Lett.*, vol. 145, pp. 171–177, 2021, doi: 10.1016/j.patrec.2021.02.011.
- [32] Y. G. Yang, L. Zou, Y. H. Zhou, and W. M. Shi, "Visually meaningful encryption for color images by using Qi hyper-chaotic system and singular value decomposition in YCbCr color space," *Optik (Stuttg.)*, vol. 213, p. 114422, 2020, doi: 10.1016/j.ijleo.2020.164422.
- [33] Y. Lee, "Performance analysis of improved hybrid median filter applied to X-ray computed tomography images obtained with high-resolution photon-counting CZT detector: A pilot study," *Nucl. Eng. Technol.*, no. xxxx, 2022, doi: 10.1016/j.net.2022.03.025.
- [34] O. Appiah, M. Asante, and J. B. Hayfron-Acquah, "Improved approximated median filter algorithm for real-time computer vision applications," *J. King Fahd Univ. - Comput. Inf. Sci.*, vol. 34, no. 3, pp. 782–792, 2022, doi: 10.1016/j.jksuci.2020.04.005.
- [35] S. Guo, G. Wang, L. Han, X. Song, and W. Yang, "COVID-19 CT image denoising algorithm based on adaptive threshold and ordered weighted median filter," *Biomed. Signal Process. Control*, vol. 75, no. October 2021, p. 103552, 2022, doi: 10.1016/j.bspc.2022.103552.

Implementation of the Affine Segmentation Point Method and Image Blending Techniques in Creating New Songket Motifs

ORIGINALITY REPORT

24%

SIMILARITY INDEX

17%

INTERNET SOURCES

21%

PUBLICATIONS

%

STUDENT PAPERS

PRIMARY SOURCES

- 1 Ahmed A. Abd El-Latif, Abdullah M. Iiyasu, Bassem Abd-El-Atty. "An Efficient Visually Meaningful Quantum Walks-Based Encryption Scheme for Secure Data Transmission on IoT and Smart Applications", Mathematics, 2021
Publication 1%
- 2 Akhil Kumar. "RYOLO v4-tiny: A deep learning based detector for detection of COVID and Non-COVID Pneumonia in CT scans and X-RAY images", Optik, 2022
Publication 1%
- 3 Brian McEvoy, Ana Maksimovic, Neil J Rowan. " and spores exhibit linear inactivation kinetic performance when treated with an industrial scale vaporized hydrogen peroxide (VH2O2) sterilization process ", Journal of Applied Microbiology, 2023
Publication 1%
- 4 D. K. Mahto, A. K. Singh, K. N. Singh, O. P. Singh, A. K. Agrawal. "Robust Copyright 1%

Protection Technique with High-embedding Capacity for Color Images", ACM Transactions on Multimedia Computing, Communications, and Applications, 2023

Publication

5

M.C. Li, M.Q. Jiang, G. Li, L. He, J. Sun, F. Jiang. "Ductile to brittle transition of fracture of a Zr-based bulk metallic glass: Strain rate effect", Intermetallics, 2016

Publication

1 %

6

Fransisca Elisa Rahardjo, Favian Dewanta, Syamsul Rizal. "Fault Tolerant Scheme in Steganographic Video Streaming Using n - Repetition Code", 2022 IEEE International Conference on Industry 4.0, Artificial Intelligence, and Communications Technology (IAICT), 2022

Publication

1 %

7

Islam Mohamed, Ibrahim Elhenawy, Ahmad Salah. "Chapter 4 A Survey on GPU-Based Visual Trackers", Springer Science and Business Media LLC, 2023

Publication

1 %

8

Riccardo Bravin, Loris Nanni, Andrea Loreggia, Sheryl Brahnam, Michelangelo Paci. "Varied Image Data Augmentation Methods for Building Ensemble", IEEE Access, 2023

Publication

1 %

9

Randhir Kumar, Rakesh Tripathi, Ningrinla Marchang, Gautam Srivastava, Thippa Reddy Gadekallu, Neal N. Xiong. "A secured distributed detection system based on IPFS and blockchain for industrial image and video data security", Journal of Parallel and Distributed Computing, 2021

Publication

1 %

10

Shuang Yu, Ting Gong, Haibin Wu, Xiaoming Sun, Yanqiao Zhao, Shuang Wu, Xiaoyang Yu. "3D shape measurement based on the unequal-period combination of shifting Gray code and dual-frequency phase-shifting fringes", Optics Communications, 2022

Publication

1 %

11

koreascience.kr

Internet Source

1 %

12

"Author Index", 2022 9th International Conference on Electrical Engineering, Computer Science and Informatics (EECSI), 2022

Publication

1 %

13

eudl.eu

Internet Source

1 %

14

Boyu Zhu, Jun Zhou, Guangchuan Liang, Xuan Zhou, Liulin Zhou. "A General MINLP Model for the Multiway Valve Channel-Limited

<1 %

Location-Allocation Problem", Mathematical Problems in Engineering, 2019

Publication

15

Ryoma Hattori, Takaki Komiyama.
"Longitudinal two-photon calcium imaging with ultra-large cranial window for head-fixed mice", STAR Protocols, 2022

Publication

<1 %

16

libra.unine.ch

Internet Source

<1 %

17

Kim André Midtlid, Johannes Åsheim, Jingyue Li. "Chapter 18 Understanding Black-Box Attacks Against Object Detectors from a User's Perspective", Springer Science and Business Media LLC, 2022

Publication

<1 %

18

Navneet Garg, Ankita Pareek, Ajinkya Lale, S K Jagannath Charya. "Evolution in E-Commerce with Augmented Reality", IOP Conference Series: Materials Science and Engineering, 2021

Publication

<1 %

19

ejournal.nusamandiri.ac.id

Internet Source

<1 %

20

ghomi.math.gatech.edu

Internet Source

<1 %

21

Mohammad Mahmudul Alam, Mohammad Tariqul Islam, S.M. Mahbubur Rahman. "Unified learning approach for egocentric hand gesture recognition and fingertip detection", Pattern Recognition, 2022

Publication

<1 %

22

Y H Feng, R H Zhang, S Zhai. "Road elevation map estimation based on affine transformation and stereo matching", Journal of Physics: Conference Series, 2020

Publication

<1 %

23

ijarcce.com

Internet Source

<1 %

24

Christopher Hilton, Leonie Raddatz, Klaus Gramann. "A general spatial transformation process? Assessing the neurophysiological evidence on the similarity of mental rotation and folding", Neuroimage: Reports, 2022

Publication

<1 %

25

Ee Yeo Keat, Nurfadhlina Mohd Sharef, Razali Yaakob, Khairul Azhar Kasmiran, Erzam Marlisah, Norwati Mustapha, Maslina Zolkepli. "Multi-Objective Deep Reinforcement Learning for Recommendation Systems", IEEE Access, 2022

Publication

<1 %

26

www.cell.com

Internet Source

<1 %

27

Bruno M Braga, Alessandro Vignati. "A Gelfand-Type Duality for Coarse Metric Spaces With Property A", International Mathematics Research Notices, 2022

Publication

<1 %

28

Denni Kurniawan, Muhammad Yasir, Farah Chikita Venna. "Optimization of Sentiment Analysis using Naive Bayes with Features Selection Chi-Square and Information Gain for Accuracy Improvement", 2022 9th International Conference on Electrical Engineering, Computer Science and Informatics (EECSI), 2022

Publication

<1 %

29

math.bu.edu

Internet Source

<1 %

30

structurae.net

Internet Source

<1 %

31

www.pure.ed.ac.uk

Internet Source

<1 %

32

Zehra Özdemir. "A geometrical and physical interpretation of quaternionic generalized magnetic flux tubes", Chaos, Solitons & Fractals, 2021

Publication

<1 %

33	ojs.unud.ac.id Internet Source	<1 %
34	www.frontiersin.org Internet Source	<1 %
35	Soraia Raupp Musse, Roberto Cesar Jr, Nuria Pelechano, Zhangyang(Atlas) Wang. "Computers & graphics, special issue of the SIBGRAPI–Conference on Graphics, Patterns and Images is an international conference 2020", Computers & Graphics, 2020 Publication	<1 %
36	conference.unsri.ac.id Internet Source	<1 %
37	peer.asee.org Internet Source	<1 %
38	www.hiof.no Internet Source	<1 %
39	www.atlantis-press.com Internet Source	<1 %
40	kannisto.org Internet Source	<1 %
41	tel.archives-ouvertes.fr Internet Source	<1 %
42	Green Arther Sandag, Eben Haezar Ekoputra Soegiarto, Lidya Laoh, Andre Gunawan, Debby	<1 %

Sondakh. "Sentiment Analysis of Government Policy Regarding PPKM on Twitter Using LSTM", 2022 4th International Conference on Cybernetics and Intelligent System (ICORIS), 2022

Publication

43

Hiroshi Iritani. "Shift operators and toric mirror theorem", Geometry & Topology, 2017

Publication

44

Tiago Novello, Vinícius da Silva, Luiz Velho. "GPU Ray Tracing in Non-Euclidean Spaces", Springer Science and Business Media LLC, 2022

Publication

45

Wahyu Saptha Negoro, M. Irfan Aldy Nasution, Agung Ramadhanu, Fhery Agustin, Muhatri Muhatrii, Syahputra Amri. "Participants Evaluation of Computer-Based Writing Exam Eligibility in High School Using Simple Additive Weighting Method", 2021 IEEE 7th International Conference on Smart Instrumentation, Measurement and Applications (ICSIMA), 2021

Publication

46

comengapp.unsri.ac.id

Internet Source

47

Agus Sulaeman, Mohamad Ali Fulazzaky, Munirwansyah Haroen, Ismail Bakar. "Field

<1 %

<1 %

<1 %

<1 %

<1 %

test results of palm oil clinker concrete pile and foamed concrete pile for floating foundation in soft soil", KSCE Journal of Civil Engineering, 2017

Publication

48

Agusyarif Rezka Nuha, Novianita Achmad, Gusti Arviana Rahman, Syarif Abdullah et al. "ANALYSIS OF OPTIMUM CONTROL ON THE IMPLEMENTATION OF VACCINATION AND QUARANTINE ON THE SPREAD OF COVID-19", BAREKENG: Jurnal Ilmu Matematika dan Terapan, 2022

Publication

<1 %

49

Wendi Boy, Rafki Imani, Mayozi Chari, Widiawati Purba, Jihan Melasari. "Risk assestment of housing reconstruction project community-based construction after the earthquake", Journal of Physics: Conference Series, 2019

Publication

<1 %

50

claymath.org

Internet Source

<1 %

51

Dinda Nabila Amarta, Dedy Rahman Wijaya, Suryatiningsih. "Classification of Competition Content on Web Pages using a Machine Learning Algorithm", 2022 10th International Conference on Information and Communication Technology (ICoICT), 2022

<1 %

52

Feng Zhou, Linman Yu, Yang Liu, Zhen Zeng et al. "Effect of hydroxypropyl- β -cyclodextrin and lecithin co-stabilized nanoemulsions on the konjac glucomannan/pullulan film", International Journal of Biological Macromolecules, 2023

Publication

<1 %

53

Hari Krishna Salila Vijayalal Mohan, Andrew Alexander Malcolm. "Non-Destructive Evaluation of Adulteration in Edible Oil Using Capacitance", 2022 IEEE Industrial Electronics and Applications Conference (IEACon), 2022

Publication

<1 %

54

Ilham Tri Maulana, Restyaliza Hary, Ratih Purwasih, Fadil Firdian, Tri A Sundara, Jufriadif Na'am. "Project-Based Learning Model Practicality on Local Network Devices Installation Subject", International Journal of Emerging Technologies in Learning (ijET), 2019

Publication

<1 %

55

Brett A. Emery, Xin Hu, Lorenzo Maugeri, Shahrukh Khanzada, Diana Klutsch, Erdem Altuntac, Hayder Amin. "Large-scale Multimodal Recordings on a High-density Neurochip: Olfactory Bulb and Hippocampal Networks", 2022 44th Annual International

<1 %

Conference of the IEEE Engineering in
Medicine & Biology Society (EMBC), 2022

Publication

56

Chun-peng, Wang, Wang Xing-yuan, and Xia Zhi-qiu. "Geometrically invariant image watermarking based on fast Radial Harmonic Fourier Moments", Signal Processing Image Communication, 2016.

Publication

<1 %

57

Jun Geng, Lili Tu, Jing M. Chen, Jean-Louis Roujean et al. "Variation of clumping index with zenith angle for forest canopies", IEEE Transactions on Geoscience and Remote Sensing, 2022

Publication

<1 %

58

Obed Appiah, Michael Asante, James Benjamin Hayfron-Acquah. "Improved Approximated Median Filter Algorithm for real-time Computer Vision Applications", Journal of King Saud University - Computer and Information Sciences, 2020

Publication

<1 %

59

Omar S. Salman, Nurul Mu'Azzah Abdul Latiff, Sharifah Hafizah Syed Arifin, Omar. H. Salman, Fahad Taha Al-Dhief. "Internet of Medical Things Based Telemedicine Framework for Remote Patients Triage and Emergency Medical Services", 2022 IEEE 6th

<1 %

International Symposium on
Telecommunication Technologies (ISTT), 2022

Publication

60

Rishi Sinhal, Deepak Kumar Jain, Irshad Ahmad Ansari. "Machine learning based blind color image watermarking scheme for copyright protection", Pattern Recognition Letters, 2021

Publication

<1 %

61

Y. Livnat, Han-Wei Shen, C.R. Johnson. "A near optimal isosurface extraction algorithm using the span space", IEEE Transactions on Visualization and Computer Graphics, 1996

Publication

<1 %

62

Younes Dhassi, Samah Elkah, Abdellah Aarab. "Gradient descent optimization for visual tracking with geometrics transformation adaptation", Procedia Computer Science, 2019

Publication

<1 %

63

ejournal.uniks.ac.id

Internet Source

<1 %

64

kutarr.kochi-tech.ac.jp

Internet Source

<1 %

65

lampoo.stube.com

Internet Source

<1 %

66

wjgnet.com

Internet Source

<1 %

67

www.ascidatabase.com

Internet Source

<1 %

68

Louis Dwysevrey Ompusunggu, Dana Indra Sensuse, Andi Wahbi, Rahmatul Mahdalina. "Comparison Between Rule-Based Expert Support System and Machine Learning Expert Support System in KM", 2021 2nd International Conference on Smart Computing and Electronic Enterprise (ICSCEE), 2021

Publication

<1 %

69

Milad Izanloo, Alireza Aslani, Rahim Zahedi. "Development of a Machine learning assessment method for renewable energy investment decision making", Applied Energy, 2022

Publication

<1 %

70

Noelia Vallez, Gloria Bueno, Oscar Deniz, Saul Blanco. "Diffeomorphic Transforms for Data Augmentation of Highly Variable Shape and Texture Objects", Computer Methods and Programs in Biomedicine, 2022

Publication

<1 %

71

Wei Shang, Shuang Liu, Jinzhi Wang, Rui Shao. "Analysis and reduction of error caused by tested object using fringe projection technique with wavelet transform", Optik, 2020

<1 %

Publication

Exclude quotes Off

Exclude bibliography Off

Exclude matches Off