



Organized by :



UNIVERSITAS
BUDI LUHUR

Supported by :



Technical Co-sponsorship :



IEEE
INDONESIA SECTION

PROCEEDING 9th EECSI 2022

9th International Conference on Electrical
Engineering, Computer Science and Informatics

October 06-07, 2022
Jakarta, Indonesia



Co-organizers :



ISBN 978-623-92135-6-5

PROCEEDINGS

9th International Conference on Electrical Engineering, Computer Science and Informatics (EECSI) 2022



Copyright © 2022 Institute of Advanced Engineering and Science (IAES)
All Rights Reserved

***This publication is a representation of what appears in the IEEE Digital Libraries. Some format issues inherent in the e-media version may also appear in this print version.

IEEE Catalog Number : CFP22B51-PRT, ISBN : 978-623-92135-5-8 (PRINT)
IEEE Catalog Number : CFP22B51-ART, ISBN : 978-623-92135-6-5 (DIGITAL/XPLORE
COMPLIANT)

Additional Copies of This Publication Are Available From:
Curran Associates, Inc
57 Morehouse Lane Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

Foreword from General Chair EECSI 2022

In the name of Allah, Most Gracious, Most Merciful.

Welcome to the ninth International Conference on Electrical Engineering, Computer Science and Informatics (EECSI 2022) in Jakarta, Indonesia.

The 9th EECSI 2022 provides platform for researchers, academicians, professionals, and students from various engineering fields and with cross-disciplinary working or interested in the field of Electrical Engineering, Computer Science, and Informatics to share and to show their works and findings to the world.

I would like to express my hearty gratitude to all participants for coming, sharing and presenting your experiences in this vast conference. Only high-quality selected papers are accepted to be presented in this event, so we are also thankful to all the international reviewers and steering committee for their valuable work. I would like to give a compliment to all partners in publications and sponsorships for their valuable supports.

Organizing such an prestigious conference was incredibly challenging and would have been impossible without our outstanding committee, so I would like to extend my sincere appreciation to all committees and volunteers from Universitas Budi Luhur as a host and all colleagues from Universitas Islam Sultan Agung, Universitas Diponegoro, Universitas Sriwijaya, Universitas Ahmad Dahlan, Universitas Muhammadiyah Malang, Universiti Colleg TATI, Universiti Teknikal Malaysia Melaka (UTeM) and IAES Indonesia Section for providing me with much needed support, advice, and assistance on all aspects of the conference. A special thanks for IEEE Indonesia Section for the technical co-sponsorship during the conference. We do hope that this event will encourage the collaboration among us now and in the future.

We wish you all find opportunity to get rewarding technical program, intellectual inspiration, renew friendships and forge innovation, and that everyone enjoys this conference.



Mohammad Syafrullah, Ph. D
General Chair EECSI 2022

Organizing Committee of EECSI 2022 Conference

Advisor

- Deni Mahdiana, Universitas Budi Luhur, Jakarta, Indonesia
- Nazori AZ, Universitas Budi Luhur, Jakarta, Indonesia
- Aghus Sofwan, Universitas Diponegoro, Semarang, Indonesia
- Zainudin Nawawi, Universitas Sriwijaya, Palembang, Indonesia
- Rahmat Budiarto, Albaha University, Baha, Saudi Arabia
- Novi Marlyana, Universitas Islam Sultan Agung, Semarang, Indonesia
- Andre Sugiyono, Universitas Islam Sultan Agung, Semarang, Indonesia
- Sunardi, Universitas Ahmad Dahlan, Yogyakarta, Indonesia
- Wahyudi Hasbi, IEEE Indonesia Chair

General Chair

- Mohammad Syafrullah, Universitas Budi Luhur, Jakarta, Indonesia

General Co-Chair

- Mochammad Facta, Universitas Diponegoro, Semarang, Indonesia

Finance Chairs and Treasurer

- Wiwiek Fatmawati, Universitas Islam Sultan Agung, Semarang, Indonesia
- Widodo MS, Universitas Budi Luhur, Jakarta, Indonesia
- Martini, Universitas Budi Luhur, Jakarta, Indonesia
- Lina Handayani, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

Program Chairs

- Imam Much Ibnu Subroto, Universitas Islam Sultan Agung, Semarang, Indonesia
- Deris Stiawan, Universitas Sriwijaya, Palembang, Indonesia

Publicity Chairs

- Indra Riyanto, Universitas Budi Luhur, Jakarta, Indonesia
- Irawan, Universitas Budi Luhur, Jakarta, Indonesia
- Hendri Irawan, Universitas Budi Luhur, Jakarta, Indonesia

Technical Program Chairs

- Munawar Agus Riyadi, Universitas Diponegoro, Semarang, Indonesia
- Mochammad Facta, Universitas Diponegoro, Semarang, Indonesia
- Tole Sutikno, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

Local Arrangement, Exhibits & Registration Chairs

- Wiwin Windihastuty, Universitas Budi Luhur, Jakarta, Indonesia
- Titin Fatimah, Universitas Budi Luhur, Jakarta, Indonesia
- Samsinar, Universitas Budi Luhur, Jakarta, Indonesia
- Suwasti Broto, Universitas Budi Luhur, Jakarta, Indonesia
- Bambang Pujiyono, Universitas Budi Luhur, Jakarta, Indonesia
- Windarto, Universitas Budi Luhur, Jakarta, Indonesia
- Dolly Virgian Shaka Yudha Sakti, Universitas Budi Luhur, Jakarta, Indonesia
- Wasiran, Universitas Budi Luhur, Jakarta, Indonesia
- Anindya Putri Pradiptha, Universitas Budi Luhur, Jakarta, Indonesia

Other reviewers

Additional Reviewers

Hadhrami Ab Ghani	Universiti Malaysia Kelantan	Malaysia
Shahliza Abd Halim	University of Technology Malaysia	Malaysia
Samsul Ariffin Abdul Karim	Universiti Malaysia Sabah	Malaysia
Norkhairani Abdul Rawi	Universiti Sultan Zainal Abidin	Malaysia
Azinoor Azida Abu Bakar	Universiti Teknologi MARA Johor	Malaysia
Mohd Ashraf Ahmad	Universiti Malaysia Pahang	Malaysia
Ali Othman Al Janaby	Ninevah University	Iraq
Karim Hashim Al-Saedi	Mustansiriyah University	Iraq
Jose David Alanis	Universidad Tecnologica de Puebla	Mexico
Hamid Alasadi	IRAQ- BASRA	Iraq
Michele Albano	Aalborg University	Denmark
Jawad K. Ali	University of Technology - Iraq	Iraq
Mohammed Mahmood Ali	Osmania University (A I C T E)	India
Sinan H. Alkassar	Ninevah University	Iraq
Farah Alkhalid	University of Technology	Iraq
Manilal Amipara	Gujarat Technological University	India
Dian Andriana	Indonesian Institute of Sciences	Indonesia
Farrukh Arslan	Purdue University	USA
Azizul Azizan	Universiti Teknologi Malaysia (UTM)	Malaysia
Eduard Babulak	Liberty University	USA
Bakhyt Bakiyev	University of Birmingham	United Kingdom (Great Britain)
M'hamed Bakrim	University of Cadi Ayyad Marrakesh	Morocco
Ruri Basuki	University of Dian Nuswantoro	Indonesia
Vikash Bhardwaj	DEWAN VS Group of Institutions	India
Yogesh Bhomia	Amity University	India
Sergey B. Biryuchinskiy	Vigitek, Inc.	USA

Ankur Bist	KIET, Ghaziabad	India
Tee Boon Tuan	Universiti Teknikal Malaysia Melaka	Malaysia
Angelo Bruno	Senior Member	Italy
Rodrigo Campos Bortoletto	Instituto Federal de São Paulo	Brazil
Maria Chiara Caschera	CNR	Italy
Theofilos Chrysikos	University of Patras	Greece
Young Mo Chung	Hansung University	Korea (South)
Ali Najdet Coran	Northern Technical University	Iraq
Paolo Crippa	Marche Polytechnic University	Italy
Siriporn Dachasilaruk	Naresuan University	Thailand
Ahmad Nazri Dagang	Universiti Malaysia Terengganu	Malaysia
Sorin Ioan Deaconu	Politechnica University Timisoara	Romania
Moussa Diaf	Université Mouloud Mammri	Algeria
Esmeralda Contessa Djamal	Universitas Jenderal Achmad Yani	Indonesia
Noriko Etani	Kyoto University	Japan
Amrul Faruq	Malaysia-Japan International Institute of Technology, Universiti Teknologi Malaysia	Indonesia
Raad Sami Sami Fyath	Al-Jadriya	Iraq
Mihai Gavrilas	Technical University of Iasi	Romania
Alireza Ghasempour	University of Applied Science and Technology	USA
Baby Gobin	University of Mauritius	Mauritius
Bok-Min Goi	Universiti Tunku Abdul Rahman (UTAR)	Malaysia
Renaldi Gondosubroto	GReS Studio	Indonesia
Ali H. Hamad	University of Baghdad	Iraq
Seng Hansun	Universitas Multimedia Nusantara	Indonesia
Dedid Cahya Happyanto	Politeknik Elektronika Negeri Surabaya	Indonesia
Maha Harzallah	ISITCOM	Tunisia
Zulfatman Has	University of Muhammadiyah Malang	Indonesia
Norazlan Hashim	Shah Alam, Selangor	Malaysia
Muhammad Said Hasibuan	University Gadjah Mada	Indonesia

Iswadi Hasyim Rosma	Universitas Riau	Indonesia
Hendry Hendry	Chaoyang University of Technology	Taiwan
Kenneth Mark Hopkinson	Air Force Institute of Technology	USA
Jia Hou	Soochow University	China
Fakrulradzi Idris	Universiti Teknikal Malaysia Melaka	Malaysia
Indra Indra	Universitas Budi Luhur	Indonesia
Sudhanshu Kumar Jha	University of Allahabad, Prayagraj, INDIA	India
U c Jha	Uttar Pradesh Technical University	India
Jin Jin	University of Toronto	Canada
Katerina Kabassi	Ionian University	Greece
Emil R. Kaburuan	Mercu Buana University	Indonesia
Sandeep Kakde	Y C College of Engineering	India
Raveendranathan Kalathil Chellappan	College of Engineering Thiruvananthapuram	India
ayoub E. Kamal	Ntu	Iraq
S Kannadhasan	Study World College of Engineering	India
Chutisant Kerdvibulvech	National Institute of Development Administration	Thailand
Muhammad Imran Khan	University College Cork	Ireland
H Kiwan	University of Regina	Canada
Jens Klare	Fraunhofer FHR	Germany
Mushtaque Korai	Yanbu Industrial College	Saudi Arabia
Muhamad Koyimatu	Universitas Pertamina	Indonesia
Dragana Krstić	University of Niš	Serbia
Weng Siew Lam	Universiti Tunku Abdul Rahman (UTAR)	Malaysia
Magfirawaty Magfirawaty	Politeknik Siber dan Sandi Negara	Indonesia
Sukrisno Mardiyanto	Institut Teknologi Bandung	Indonesia
Nikhil Marriwala	Kurukshetra University	India
Arief Marwanto	Universitas Islam Sultan Agung (UNISSULA) Semarang	Indonesia
Arif Muntasa	Trunojoyo University	Indonesia
Petrus Mursanto	Universitas Indonesia	Indonesia
Imamul Muttakin	Universitas Sultan Ageng Tirtayasa	Indonesia
Ruzelita Ngadiran	Universiti Malaysia Perlis & Centre of Excellence	Malaysia

	Advanced Computing (ADVCOMP), UniMAP	
Muhammad Niswar	Universitas Hasanuddin	Indonesia
Kuntoro Adi Nugroho	National Taiwan University of Science and Technology	Taiwan
Rosaura Palma-Orozco	Instituto Politécnico Nacional	Mexico
Giovanni B Palmerini	Sapienza Università di Roma	Italy
Hilman F Pardede	National Research and Innovation Agency of Indonesia	Indonesia
Shashikant S. Patil	Mumbai University	India
Teguh Prakoso	Diponegoro University	Indonesia
Ricardus Anggi Pramunendar	Universitas Dian Nuswantoro	Indonesia
Era Purwanto	Electronic Engineering Polytechnic Institute Of Surabaya	Indonesia
Harikumar Rajaguru	Bannari Amman Institute of Technology	India
Grienggrai Rajchakit	Maejo University	Thailand
Priya Ranjan	Bhuvaneshvar Institute of Technology	India
Sirimonpak S	KMUTT	Thailand
Arshad Salih	Lect.	Iraq
Iwan Setyawan	Satya Wacana Christian University	Indonesia
Nadheer A. Shalash	Al-Mamoon University College	Iraq
Aditi Sharma	Parul University, Vadodara	India
Fatina Shukur	University of Kufa	Iraq
Harco Leslie Hendric Spits Warnars	Bina Nusantara University	Indonesia
Joey Suba	University of the Assumption	Philippines
Chudanat Sudthongkhong	KMUTT	Thailand
Suherman Suherman	Universitas Sumatera Utara	Indonesia
Hung-Min Sun	National Tsing Hua University	Taiwan
Andi Sunyoto	Universitas Amikom Yogyakarta	Indonesia
Nico Surantha	Bina Nusantara University	Indonesia
Wiwin Suwarningsih	National Research and Innovation Agency (BRIN)	Indonesia
George Tambouratzis	Institute for Language & Speech Processing	Greece
Alessandro Testa	Ministry of Economy and Finance	Italy
Hapnes Toba	Maranatha Christian University	Indonesia
Triwiyanto Triwiyanto	Politeknik Kesehatan Surabaya, Kementerian	Indonesia

	Kesehatan RI	
Gloria Virginia	Duta Wacana Christian University	Indonesia
Theophilus Wellem	Satya Wacana Christian University	Indonesia
Eliana Werbin	Universidad Nacional de Córdoba	Argentina
Thaweesak Yingthawornsuk	King Mongkut's University of Technology Thonburi	Thailand
Phang Yook Ngor	Universiti Teknologi MARA Kampus Bandaraya Melaka	Malaysia
Zhe Zhang	Aerospace Information Research Institute, Chinese Academy of Sciences	China

I A B C D E F H I L M N O P R S T U W

Identification of impedance changes in metal using RFID RC522 based on arduino uno

Implementation of LSSVM in Classification of Software Defect Prediction Data with Feature Selection

Implementation of the Affine Segmentation Point Method and Image Blending Techniques in Creating New Songket Motifs

Improving Recommender Systems Performance with Cross-domain Scenario: Anime and Manga Domain Studies

Improving the Accuracy of Text Classification Using the Over Sampling Technique in the Case of Sinovac Vaccine

Parallel Room 3

<i>Intelligent Sentiment Analysis on Cellphone Checking by Police Officer</i> Barep Prasetyo (Indonesia), Yaya Sudarya Triana (University of Mercu Buana, Indonesia), Rahmat Budiarto (Al Baha University, Saudi Arabia), Deris Stiawan (University of Sriwijaya, Indonesia)	167
<i>Fuzzy Cognitive Maps for Intelligent Agent's Artificial Situational Awareness in Collaborative Driving Context</i> Rinta Kridalukmana (Diponegoro University, Indonesia), Dania Eridani (Diponegoro University, Indonesia), Risma Septiana (Diponegoro University, Indonesia), Adian Fatchur Rochim (Diponegoro University, Indonesia), Charisma Setyobudhi (Diponegoro University, Indonesia)	173
<i>Monitoring System of Natural Disaster from Twitter Messages Using Support Vector Machine</i> Casi Setianingsih (Telkom University, Indonesia)	179
<i>Forecasting indoor temperature for smart buildings with ARIMA, SARIMAX, and LSTM: A fusion approach</i> Shashi Shekhar Kumar (Indian Institute of Information Technology Allahabad, India), Ashutosh Kumar (Indian Institute of Information Technology Allahabad, India), Sonali Agarwal (Indian Institute of Information Technology, Allahabad, India), Muhammad Syafrullah (Universitas Budi Luhur, Indonesia), Krisna Adiyarta (Universitas Budi Luhur, Indonesia)	186
<i>User Satisfaction Analysis of PeduliLindungi Application Using End User Computing Satisfaction (EUCS) Method</i> Ahmad Reza Yudistira (Telkom University, Indonesia), Hilal H. Nuha (Telkom University, Indonesia), Kusuma Adi Achmad (Telkom University & City Government of Pekalongan, Indonesia)	193
<i>The Analysis of Readiness and Acceptance of Learning Management System (LMS) Usage in Universities of East Java</i> Fahrobby Adnan (University of Jember, Indonesia), Maulida Dwi Agustiningsih (KH Achmad Siddiq State Islamic University, Indonesia), Lutfi Ariefianto (University of Jember, Indonesia)	198
<i>Utilization of Smart Greenhouse to Increase Chrysanthemum Growth in the Vegetative Phase by Monitoring Using Firebase</i> Muhammad Tito Maiza Henanda (Telkom University, Indonesia), Hilal H. Nuha (Telkom University, Indonesia), Endro Ariyanto (Telkom University, Indonesia)	204
<i>Smart Attendance for Lecture with Physical Distancing Based on The Internet of Things (IoT)</i> Nur Fauzan Jundi Rabbany (Telkom University, Indonesia), Hilal H. Nuha (Telkom University, Indonesia), Muhammad Johan Alibasa (Telkom University, Indonesia)	210
<i>Combining Dynamic K-Means and Binary Search Centroid to Optimize Clustering Results on Home Industry Datasets</i> Hadi Santoso (ISB Atma Luhur, Indonesia), Hilyah Magdalena (ISB Atma Luhur, Indonesia)	215

<i>Comparison of Anomaly Based and Signature Based Methods in Detection of Scanning Vulnerability</i> Ismail Puji Saputra (Universitas Muhammadiyah Metro & Universitas Amikom Yogyakarta, Indonesia), Ema Utami (Universitas Amikom Yogyakarta, Indonesia), Alva Muhammad (Universitas Amikom Yogyakarta, Indonesia)	221
<i>Feature Selection using Chi Square to Improve Attack Detection Classification in IoT Network: Work in Progress</i> Zulhipni Reno Saputra Elsi (Universitas Sriwijaya & Universitas Muhammadiyah Palembang, Indonesia), Deris Stiawan (University of Sriwijaya, Indonesia), Ahmad Fali Oklilas (Faculty of Computer Science, Universitas Sriwijaya, Indonesia), Susanto Susanto (Sriwijaya University & Universitas Bina Insan, Indonesia), Kurniabudi Kurniabudi (STIKOM Dinamika Bangsa, Indonesia), Yesi Novaria Kunang (Universitas Sriwijaya & Universitas Bina Darma, Indonesia), Mohd. Yazid Idris (Universiti Teknologi Malaysia, Malaysia), Rahmat Budiarto (Al Baha University, Saudi Arabia)	226
<i>Implementation of the Affine Segmentation Point Method and Image Blending Techniques in Creating New Songket Motifs</i> Agung Ramadhani (Universitas Putra Indonesia YPTK Padang, Indonesia), Jufriadif Na'am (Universitas Putra Indonesia YPTK Padang, Indonesia), Gunadi Widi Nurcahyo (Universitas Putera Indonesia YPTK Padang, Indonesia), Yuhandri Yunus (Universitas Putra Indonesia YPTK Padang, Indonesia)	233
<i>Auto-Generating Business Process Model From Heterogeneous Documents: A Comprehensive Literature Survey</i> Uce Indahyanti, UI (Institut Teknologi Sepuluh Nopember Surabaya & Universitas Muhammadiyah Sidoarjo, Indonesia), Arif Djunaidy (Institut Teknologi Sepuluh Nopember, Indonesia), Daniel Siahaan (Institut teknologi Sepuluh Nopember, Indonesia)	239
<i>Usability Analysis of My TelU Application Using System Usability Scale</i> Fajar Angga Sigalingging (Telkom University & Telkom Indonesia, Indonesia), Muhammad Johan Alibasa (Telkom University, Indonesia), Hilal H. Nuha (Telkom University, Indonesia)	244
<i>E-counseling-based Expressive Writing Therapy Platform for Overcoming Student Mental Health Problems</i> Tiffany Nabarian (Nurul Fikri College of Technology, Indonesia), Yekti Wirani (Nurul Fikri College of Technology, Indonesia), Miftahussaadah Putri Siddiq (Nurul Fikri College of Technology, Indonesia), Aseptianova Aseptianova (University of Muhammadiyah Palembang, Indonesia), M. Zalili Aziz (University of Muhammadiyah Palembang, Indonesia), Ananto Dwi Saputro (Badan Siber dan Sandi Negara, Indonesia)	250

Implementation of the Affine Segmentation Point Method and Image Blending Techniques in Creating New Songket Motifs

Agung Ramadhani
Information System
Universitas Putra Indonesia YPTK
Padang, Indonesia
agung_ramadhani@upiypk.ac.id

Jufriadif Na'am
Information Technology
Universitas Putra Indonesia YPTK
Padang, Indonesia
jufriadifnaam@gmail.com

Gunadi Widi Nurcahyo
Information Technology
Universitas Putra Indonesia YPTK
Padang, Indonesia
gunadiwidi@yahoo.co.id

Yuhandri
Information Technology
Universitas Putra Indonesia YPTK
Padang, Indonesia
yuyu@upiypk.ac.id

Abstract—In this study, we made two new Songket Silungkang motifs and then tested them, then we combined two new Songket motifs. The purpose of this research is to create a new Songket motif twice and then tested then combine the two Songket motifs to create a newer Songket motif. The method we use to create a new Songket motif is a modification of the Affine method which we named the Affine Segmentation Point (ASP) method twice to create two new Silungkang Songkets. Then, we tested the two new motifs using the histogram method to test whether the motifs did not lose their original characteristics of the motifs. Furthermore, we combined the two motifs (blending) using the image blending technique method to get a newer motif with the aim of creating a more modern and aesthetic Songket Silungkang motif. We also made a computer application using the Matlab programming language for the implementation of the findings of this study. The result of this research is researchers can get new Songket motifs that are more modern and aesthetic by combining Songket motifs that have been reconstructed from the previous affine segmentation point (ASP) method. The important point of this study is how researchers can produce a user-friendly system for operating the Songket motif reconstruction system and the incorporation of Songket motifs so that the users of this system include Songket craftsmen, Songket artists, and Songket observers.

Keywords— *Affine Segmentation Point (ASP) Method, Image Blending Techniques, New Songket Motifs*

I. INTRODUCTION

The end product of a traditional craft in which the primary material (cloth) is composed of yarn is a songket (cotton, silk, etc.) Songket is derived from the Malay and Indonesian word "Sungkit," which means "to hook" or "to gouge." This relates to the manufacturing process of hooking and taking a specific quantity of threads [1]. The Silungkang neighborhood of Sawah Lunto City, West Sumatra Province, is one of the regions in Indonesia with the best Songket motifs or designs [2]. One of the best regions and the main producer of Songket in West Sumatra and Indonesia is Silungkang. Songket is frequently utilized at traditional official occasions and weddings [3].

The Silungkang Songket weaving period has been started in 1375 AD until now, which has a relatively unchanging motif from the woven (Songket) [4]. The introduction of Silungkang Songket in the international world has been listed on the Sawahlunto city mission. The affine method, which is

a method for reconstructing Songket motifs, is supported by the advantages of transforming objects in rotation, shifting, and bending [5]–[7]. This is an important point for the success of this study in reconstructing Songket motifs systematically. Without changing the meaning associated with customary norms and rules, Songket can be used as guidelines in life because the motif is very complex in the object. Therefore, it is necessary to develop the value of the Affine transformation matrix in which the Affine transformation has a symmetric positive manifold matrix value [8]–[11]. It belongs to the Lie group structure and does not obey Euclidean space [12]–[15].

The parallel straight lines in the photos are modified by the Affine transform, but the relative distances within the triangles are left unaltered. This results in a textile mapping. In essence, the Affine transformation can turn, shift, and bend; this is used by several other transformation techniques (fractal transformation) to alter the designs of batik. In Lampung batik modeling, transformations like shifting [16], [17], mirroring [18], [19], rotation [20], [21], and dilation [22], [23] can be applied to make batik, particularly the Lampung batik motif. Batik may more easily repeat motifs in a sequence thanks to the use of shifts in the creation of batik Lampung. Due to the same Batik pattern having varied shapes, rotation can create patterns that are reversed, mirrors can create the same side by side, and dilation can create patterns that are enlarged or shrunk. This has not been able to use geometric changes to its advantage in rebuilding the Songket or Batik motif during the creation of Batik. Fractal geometric patterns must also be used in Sekar Jagad modeling, with the aid of other applications, geometric transformations, and other techniques. Thus, the geometric transformation is still not independent in the processing of the reconstruction even for the reconstruction of batik or Songket motifs [24], [25]. Songket motifs (nyukit) evolve extremely slowly since making them is a tough procedure that not all weavers can complete.

Several studies on colonization that are connected to affine transformation have been completed by [26]. The area from the triangle AOB is always the same as the AO0B0 region, according to the geometric interpretation that there is a transformable pedestrian area. At this point, we will discuss permission. Tensor permittivity can be selected in analysis to indicate positions AOB and AO0B0. The solution can be

understood by assuming that transformation only occurs within node x [that is, $y_0 y$]. [27] Appropriate ratio takes into account the ratio of the number of dots features that are appropriate between the original image and the version that was created using the original image. It can be seen that the required ratio is closer to 60% for the operation of generating a standard image.

In this study, the 1st Affine Segmentation Point (ASP) method was applied to create a new songket motif 1 then applied the 2nd Affine Segmentation Point (ASP) method to create a new songket motif 2. Next, testing was carried out on the two new songket motifs produced by the method ASP 1 and testing of the new songket motifs produced by the ASP 2 method using the histogram testing method. This is done with the aim that the new songket motifs produced do not lose the original characteristics of the new motifs produced. Next, combine the images of the two new songket motifs, namely the ASP Songket Motif 1 with the ASP Songket Motif 2 to get a more modern and aesthetic songket motif.

II. METHODOLOGY

This research uses framework research like figure 1 below. We divided the framework research into four steps that are data collection, processing and transformation, Processing Transformation (Research Core) and Research results (New Motifs), and Processing Blending.




Fig. 1. Research Framework

Fig. 1 shows the methodology steps that doing in this research. From the top is the first step and at the bottom is the fifth step. The first step we doing Data Collection which is to collect all data that is needed for the research especially the image data of Songket motifs. After that, we process and transform the data using Convert RGB to YCbCr, Contrast Enhancement, and Noise Reduction. Next we Processing Transformation (Research Core) and Research Result (New Motifs). Then we do Histogram Test. Last we do Processing Blending.

The target of this research is how to get a new motif which is the result of combining reconstruction motifs from the development of the affine method, which is packaged in a very applicable application form to provide unlimited access for songket artists in spending their knowledge in the field of art. In Figure 1, we can see several stages which are summarized in one sketch, namely the research framework. The first step in this research is we capture the digital image of Songket Motif. This data collection contains the original image that is used as input data. The image used is Image Songket in the form of a file with *.jpg format. All test images used are color images with a pixel size of 1080 x 1350 pixels, where the purpose of this site is to process the dimensions of the test image to be studied. The process of taking songket images is by taking them / taking photos directly on songket fabrics available to songket craftsmen and sellers in the West Sumatra area. The tool used is a Digital Camera with the Sony A7 Mark II Brand.

In the second step, In carrying out motif extraction, a cropping technique is used, namely a rectangle crop, which reduces the size of an image by cutting the image at predetermined coordinates in an area [28]–[30]. To extract motifs (cropping songket picture motifs), to obtain the motif of the Silingkang songket image. The cropping method can be seen in figure 2 below:




Fig. 2. (a) Property Area For Cropping, (b) Image Cropping Process

In the third step, we converted the RGB songket image into YCbCr image using the YcbCr color space conversion approach using the cropped image's results to streamline the subsequent step of the process and improve the number of incentives attained. To convert the image we used the formula below:

$$Y = YCbCr(:, :, 1) \quad (1)$$

$$Cb = YCbCr(:, :, 2) \quad (2)$$

$$Cr = YCbCr(:, :, 3) \quad (3)$$

After that, in the fourth step, we will perform contrast enhancement (improving the songket motif's image quality) using the results of the YCbCr color space conversion above [31], [32], employing the technique of contrast stretching, which can maximize the motif's image with the extension of the YCbCr color space. Next the fifth step, the researcher will also do a noise reduction procedure using the outcomes of the contrast enhancement process (removing noise from the image of songket motifs), employing the median filter approach [33]–[35], which has the purpose of removing pixel

noise and replacing it with pixels nearby. Next the sixth step, the Affine technique will then be modified namely Affine Segmentation Point (ASP) method two times. The first ASP method produces the first Songket motifs and the second ASP method produces second Songket motifs. To modify Affine method to be ASP Method we use the formula below:

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} + \begin{bmatrix} t_x \\ t_y \end{bmatrix} \begin{cases} [q] = \min\{p \in Z | p \geq x\} \\ [q] = \max\{p \in Z | p \leq x\} \end{cases} \quad (4)$$

$$x = p + t_x \quad (5)$$

$$y_1 = (\min)q + t_y \quad (6)$$

$$y_2 = (\max)q + t_y \quad (7)$$

Where: p = the input integer value; q = the real number; x = the same as 1; y = the same as 1; y_1 = the minimum real number; y_2 = the maximum real number; and Matrics transformation: (x', y') (x, y) . The coordinates $(\min)q$ and $(\max)q$ represent the minimum and maximum values of the area around the point Point, respectively, and t_x, t_y represents the translation value.

In the seventh step, the new Songket motif produced by ASP Method 1 and ASP Method 2 is tested by using histogram testing. This is done with the aim that the new songket motifs produced do not lose the original characteristics of the new motifs produced. In the eighth step, two new Songket motif is blended into one new Songket motif to make a new motif that is more modern and aesthetic using this formula below:

$$C(x, y) = wa \cdot A(x, y) + wb \cdot B(x, y) \quad (8)$$

Where: $C(x, y)$: the result of image blending, wa : weight of image A, $A(x, y)$: Image A, wb : weight of image B, $B(x, y)$: Image B, $wa + wb = 1$

III. RESULT AND DISCUSSION

A. Data Collection

This test image consists of an image of Silungkang songket cloth, totaling 5 images, the results of processing the image will get many motifs that have been reconstructed and combined to get a modern and aesthetic motif that does not eliminate the identity of the old motif. One of Silungkang Songket cloth motifs can be seen in figure 0033 below:



Fig. 3. Example of Silungkang Songket Cloth Motif

B. Preprocessing and Transformation

Preprocessing data consists of several processes that can make the input image better than the beginning, including color space conversion, improving image color quality, and eliminating damaged image pixels/noise reduction, among these preprocessing, using methods and techniques in image

processing that can produce input image quality that is following the wishes of the researcher, which aims to obtain high-quality input data.

1. Motif Extraction

In Figure 2, it can be seen that the coordinates of the image area to be cut are formed, to form the desired cut image. In this rectangular crop technique, the selected coordinates form a minimum of 3 sides to an unlimited number of sides. Figure 4 below, it shows the image of the Silungkang songket motif that has been cut using the rectangle cropping technique.



Fig. 4. Various Songket Motifs

It is clear that the results of the image cutting using the rectangle cropping technique, this technique produces an image with precise cutting results between the sides of the image. The images tested in the cutting are 5 different Silungkang Songket Fabrics - different for each motif in it.

2. YCbCr Color Space Conversion

Furthermore, from the results of cropping the image, the researchers carried out the Preprocessing and Transformations stage, namely continuing the process of converting Songket RGB to YCbCr images using the YCbCr color space conversion method, which aims to simplify the next stage process and maximize the motifs obtained. The result of Color Space Conversion can be seen in Figure 5.




Fig. 5. (a) Original Songket Image Extracted, (b) Image Conversion to YCbCr Color Space

3. Contrast Enhancement

Furthermore, from the results of the conversion of the YCbCr color space above, the researcher will perform contrast enhancement using the contrast stretching method, which can maximize the motif image with the extension of the YCbCr color space. The result of contrast enhancement can be seen in figure 6.




Fig. 6. (a) Songket Image Color Space YCbCr, (b) Image Result Process Contrast Enhancement

4. Noise Reduction

Furthermore, from the results of the contrast enhancement process above, the researcher will carry out a noise reduction process (removing noise in the Songket motif image), in which the researcher will use the median filter method, with the function of removing pixel noise and replacing it with pixels that are around it. The result of noise reduction can be seen in figure 7.




Fig. 7. (a) Songket Image Color Space YCbCr, (b) Image Result Process Contrast Enhancement

C. Processing and Transformation

1. ASP Method

The next process is Processing Transformations, namely modifying the Affine method, which currently the Affine method is only able to bend all pixels of an image, for the problem above the researchers developed the Affine method which is more suitable and suitable for use with the image of the Songket Silungkang motif which already from the previous noise reduction process, in which the researcher will bend the Songket image motif based on the top and bottom points (X and Y axes), to produce good curves from the specified side. The result of ASP Method can be seen in figure 8 below.




Fig. 8. (a) Image Result of Noise Reduction Process, (b) Image of ASP Processing Results

2. Histogram Test

An image histogram is a graph that depicts the distribution of pixel intensity values of an image or a certain part of the image. From the histogram will be obtained the frequency of occurrence relative (relative) to the intensity in the image. In addition, the histogram also shows the brightness (brightness) and contrast (contrast) of an image. Therefore, the histogram can be used as an image processing method that works both qualitatively and quantitatively. In digital images that have L degrees of gray are from 0 to L-1.

Testing using histograms is a step taken to determine whether the image that has been generated using the ASP method still has the same characteristics as the initial image before processing. This is done to produce an image that is not too much different from the initial image.

The first column in the table is the Songket Motif name, and the second column is the pixel size of the songket motif image. The third and fourth columns are the pixel height and width of the songket motif image. The fifth column in the table is the graphical result of the histogram test from the songket motif image. The first row of motif songket is the result histogram test of the original songket motif and the second row is the result histogram test of the ASP method and so on. The result of all the Histogram tests can be seen in Table 1.

TABLE 1. HISTOGRAM TEST RESULT

Nama Motif	Pixel Size	Pixel Height	Pixel Width	Histogram
Rangkang Lumbung Padi Besar	33,721	770	654	
Rangkang Lumbung Padi Besar	35,576	770	654	
Pucuk Rebung	30,115	749	515	
Pucuk Rebung	32,120	749	515	
Bungo Kipas	30,660	525	489	
Bungo Kipas	31,295	525	489	
Bungo Tulip	13,697	702	432	
Bungo Tulip	13,697	702	432	
Tampuak Manggih	31,603	687	577	
Tampuak Manggih	33,188	687	577	

D. Processing Blending Image

The next process is the process of merging motifs that have been reconstructed using the development of the affine method, to get modern and aesthetic motifs that do not eliminate the meaning and identity of the motifs. The result of the blending motif can be seen in figure 9 below:




Fig. 9. Image of Songket Motif from ASP 1, (b) Image of Songket Motif from ASP 2, (c) Image of Songket Motifs Result of Blending Songket Motifs ASP 1 with ASP 2

E. Design of GUI ASP Method System Application and Blending Image

To implement this method, we make an application using Matlab. The GUI design of the application can be seen in Figure 10.




Fig. 11. GUI Application Design

IV. CONCLUSION

Based on the results of the research, there are several conclusion. Researchers can get new Songket motifs that are more modern and aesthetic by combining Songket motifs that have been reconstructed from the previous affine segmentation point (ASP) method. The important point of this study is how researchers can produce a user-friendly system for operating the Songket motif reconstruction system and the incorporation of Songket motifs so that the users of this system include Songket craftsmen, Songket artists, and Songket observers. In addition, they also get the convenience of being creative and imagining to create Songket motifs in general or Sihungkang Songket motifs in particular which are newer and more modern and aesthetic.

REFERENCES

- [1] A. Ramadham, J. Na'am, G. W. Nurcahyo, and Yuhandri, "Development of Affine Transformation Method in the Reconstruction of Songket Motif," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 12, no. 2, pp. 600–606, 2022, doi: 10.18517/ijaset.12.2.16305.
- [2] M. Zhang, C. Sas, Z. Lambert, and M. Ahmad, "Designing for the infrastructure of the supply chain of Malay handwoven songket in Terengganu," *Conf. Hum. Factors Comput. Syst. - Proc.*, pp. 1–14, 2019, doi: 10.1145/3290605.3300716.
- [3] K. Sedyastuti, E. Suwami, D. R. Rahadi, and M. A. Handayani, "Human Resources Competency at Micro, Small and Medium Enterprises in Palembang Songket Industry," *Proc. 2nd Annu. Conf. Soc. Sci. Humanit. (ANCOSH 2020)*, vol. 542, no. Ancosh 2020, pp. 248–251, 2021, doi: 10.2991/assehr.k.210413.057.
- [4] B. Imran and M. M. Efendi, "The Implementation of Extraction Feature Using Glen and Back-Propagation Artificial Neural Network To Classify Lombok Songket Woven Cloth," *J. Techno Nusa Mandiri*, vol. 17, no. 2, pp. 131–136, 2020, doi: 10.33480/techno.v17i2.1680.
- [5] N. Vallez, G. Bueno, O. Deniz, and S. Blanco, "Diffeomorphic transforms for data augmentation of highly variable shape and texture objects," *Comput. Methods Programs Biomed.*, vol. 219, p. 106775, 2022, doi: 10.1016/j.cmpb.2022.106775.
- [6] W. Shang, S. Liu, J. Wang, and R. Shao, "Analysis and reduction of error caused by tested object using fringe projection technique with wavelet transform," *Optik (Stuttg.)*, vol. 221, no. July, p. 165372, 2020, doi: 10.1016/j.jleo.2020.165372.
- [7] X. Kuang, X. Gao, L. Wang, G. Zhao, L. Ke, and Q. Zhang, "A discrete cosine transform-based query efficient attack on black-box object detectors," *Inf. Sci. (Nij.)*, vol. 546, pp. 596–607, 2021, doi: 10.1016/j.ins.2020.05.089.
- [8] G. O. Berger and M. Rabi, "Bounds on set exit times of affine systems, using Linear Matrix Inequalities," *IFAC-PapersOnLine*, vol. 54, no. 5, pp. 283–288, 2021, doi: 10.1016/j.ifacol.2021.08.512.
- [9] M. M. Alam and S. M. Mahbubur Rahman, "Affine transformation of virtual 3D object using 2D localization of fingertips," *Virtual Real. Intell. Hardw.*, vol. 2, no. 6, pp. 534–555, 2020, doi: 10.1016/j.vrih.2020.10.001.
- [10] M. Ramalingam, N. A. Mat Isa, and R. Puviarasu, "A secured data hiding using affine transformation in video steganography," *Procedia Comput. Sci.*, vol. 171, no. 2019, pp. 1147–1156, 2020, doi: 10.1016/j.procs.2020.04.123.
- [11] R. Hatton and T. Komiya, "PatchWaip: Corrections of non-

- uniform image distortions in two-photon calcium imaging data by patchwork affine transformations." *Cell Reports Methods*, vol. 2, no. 5, p. 100295, 2022, doi: 10.1016/j.crmeth.2022.100205.
- [12] T. Novello, V. da Silva, and L. Velho, "Global illumination of non-Euclidean spaces." *Comput. Graph.*, vol. 93, pp. 61–70, 2020, doi: 10.1016/j.cag.2020.09.014.
- [13] B. Colbois and K. Gattins, "Upper bounds for Steklov eigenvalues of submanifolds in Euclidean space via the intersection index." *Differ. Geom. Its Appl.*, vol. 78, p. 101777, 2021, doi: 10.1016/j.difgeo.2021.101777.
- [14] A. Antoniadis, R. Hoeksma, S. Kisfaludi-Bak, and K. Schewior, "Online search for a hyperplane in high-dimensional Euclidean space." *Inf. Process. Lett.*, vol. 177, p. 106262, 2022, doi: 10.1016/j.ipl.2022.106262.
- [15] O. Mitra and P. Sankaran, "Embedding certain diffeomorphism groups in the quasi-isometry groups of Euclidean spaces." *Topol. Appl.*, vol. 265, p. 106833, 2019, doi: 10.1016/j.topol.2019.106833.
- [16] N. J. Rowan *et al.*, "Digital transformation of peatland eco-innovations ('Paludiculture'): Enabling a paradigm shift towards the real-time sustainable production of 'green-friendly' products and services." *Sci. Total Environ.*, vol. 838, no. April, p. 156328, 2022, doi: 10.1016/j.scitotenv.2022.156328.
- [17] N. Voulvoulis *et al.*, "Systems thinking as a paradigm shift for sustainability transformation." *Glob. Environ. Chang.*, vol. 75, no. August 2021, p. 102544, 2022, doi: 10.1016/j.gloenvcha.2022.102544.
- [18] K. Chan and N. C. Leung, "Mirror symmetry for toric Fano manifolds via SYZ transformations." *Adv. Math. (N. Y.)*, vol. 223, no. 3, pp. 797–839, 2010, doi: 10.1016/j.am.2009.09.009.
- [19] H. In'ami, "Quantum D-modules and generalized mirror transformations." *Topology*, vol. 47, no. 4, pp. 225–276, 2008, doi: 10.1016/j.top.2007.07.001.
- [20] M. Myszkowski, "A new perspective on spacetime 4D rotations and the SO(4) transformation group." *Results Phys.*, vol. 13, no. September 2018, p. 102141, 2019, doi: 10.1016/j.nrp.2019.02.077.
- [21] C. Hilton, L. Raddatz, and K. Gramann, "A general spatial transformation process? Assessing the neurophysiological evidence on the similarity of mental rotation and folding." *Neuroimage: Reports*, vol. 2, no. 2, p. 100092, 2022, doi: 10.1016/j.nrp.2022.100092.
- [22] Q. Li, X. Xu, J. Hu, and Z. Zhou, "Investigation of unsaturated frozen soil behavior: Phase transformation state, post-peak strength, and dilatancy." *Soils Found.*, vol. 58, no. 4, pp. 928–940, 2018, doi: 10.1016/j.sandf.2018.05.003.
- [23] M. Q. Jiang, G. Wilde, F. Jiang, and L. H. Dai, "Understanding ductile-to-brittle transition of metallic glasses from shear transformation zone dilatation." *Theor. Appl. Mech. Lett.*, vol. 5, no. 5, pp. 200–204, 2015, doi: 10.1016/j.taml.2015.09.002.
- [24] Y. Dhassi, S. Elkah, and A. Aarab, "Gradient descent optimization for visual tracking with geometries transformation adaptation." *Procedia Comput. Sci.*, vol. 148, pp. 164–170, 2019, doi: 10.1016/j.procs.2019.01.020.
- [25] S. Klinaku, "Results in Physics Geometric representation of the Gahleam transformation." *Results Phys.*, vol. 39, no. April, p. 105719, 2022, doi: 10.1016/j.nrp.2022.105719.
- [26] Y. H. Feng, R. H. Zhang, and S. Zhai, "Road elevation map estimation based on affine transformation and stereo matching." *J. Phys. Conf. Ser.*, vol. 1601, no. 6, 2020, doi: 10.1088/1742-6596/1601/6/062015.
- [27] X. Gao, S. Member, C. Deng, and X. Li, "Watermarking in Affine Covariant Regions." *IEEE Trans. Syst. MAN, Cybern. C Appl. Rev.*, vol. 40, no. 3, pp. 278–286, 2010.
- [28] L. Lac, B. Keresztes, M. Louargant, M. Donias, and J. P. Da Costa, "An annotated image dataset of vegetable crops at an early stage of growth for proximal sensing applications." *Data Br.*, vol. 42, p. 108035, 2022, doi: 10.1016/j.dib.2022.108035.
- [29] H. I. Shahadi, A. T. Thahab, and H. R. Farhan, "A novel robust approach for image copyright protection based on concentric rectangles." *J. King Saud Univ. - Comput. Inf. Sci.*, vol. 34, no. 4, pp. 1263–1274, 2022, doi: 10.1016/j.jksuci.2020.06.006.
- [30] M. T. Wakjira *et al.*, "Rainfall seasonality and timing: implications for cereal crop production in Ethiopia." *Agric. For. Meteorol.*, vol. 310, p. 108633, 2021, doi: 10.1016/j.agrformet.2021.108633.
- [31] R. Sinhal, D. K. Jain, and I. A. Ansari, "Machine learning based blind color image watermarking scheme for copyright protection." *Pattern Recognit. Lett.*, vol. 145, pp. 171–177, 2021, doi: 10.1016/j.patrec.2021.02.011.
- [32] Y. G. Yang, L. Zou, Y. H. Zhou, and W. M. Shi, "Visually meaningful encryption for color images by using Qi hyper-chaotic system and singular value decomposition in YCbCr color space." *Optik (Stuttg.)*, vol. 213, p. 164422, 2020, doi: 10.1016/j.joleo.2020.164422.
- [33] Y. Lee, "Performance analysis of improved hybrid median filter applied to X-ray computed tomography images obtained with high-resolution photon-counting CZT detector: A pilot study." *Nucl. Eng. Technol.*, no. xxxx, 2022, doi: 10.1016/j.net.2022.03.025.
- [34] O. Appiah, M. Asante, and J. B. Hayfron-Acquah, "Improved approximated median filter algorithm for real-time computer vision applications." *J. King Saud Univ. - Comput. Inf. Sci.*, vol. 34, no. 3, pp. 782–792, 2022, doi: 10.1016/j.jksuci.2020.04.005.
- [35] S. Guo, G. Wang, L. Han, X. Song, and W. Yang, "COVID-19 CT image denoising algorithm based on adaptive threshold and optimized weighted median filter." *Biomed. Signal Process. Control*, vol. 75, no. October 2021, p. 103552, 2022, doi: 10.1016/j.bspc.2022.103552.



9th INTERNATIONAL CONFERENCE ON
ELECTRICAL ENGINEERING, COMPUTER SCIENCE AND INFORMATICS

Jakarta, Indonesia, October 6 - 7, 2022

CERTIFICATE

No. R3.12/EECSI-UBL/X/2022

is awarded to

Yuhandri

Implementation of the Affine Segmentation Point Method and Image Blending Techniques in Creating New Songket Motifs

In recognition and appreciation of your contribution as

Author



Assoc. Prof. Dr. Ir. Wendi Usino, M.Sc., M.M.
Rector,
Universitas Budi Luhur



Dr. Mohammad Syafrullah
General Chair



Organized by :



Co-organizers :



Technical Co-sponsorship :

