Development of the Minangkabau Local Language Translation Machine Based on Stemming

Rini Sovia University of Putra Indonesia YPTK Padang, Indonesia rini_sovia@upiyptk.ac.id Sarjon Defit University of Putra Indonesia YPTK Padang, Indonesia sarjond@yahoo.co.uk Yuhandri University of Putra Indonesia YPTK Padang, Indonesia yuyu@upiyptk.ac.id

Abstract— Indonesia is an archipelagic country that has hundreds of ethnic groups and regional languages. One of the well-known regional languages is the Minangkabau language (BM) which is dominantly used in several areas in Sumatra which are in the Austronesian family. The habit of the Minangkabau people in their daily life is to always use the Minangkabau language (BM) in communicating. Usually, the Minang tribe always communicates every day using the Minangkabau language, so that it is unique for the people around them, thus creating curiosity to know BM. So this research was conducted to translate BM into Indonesian. The purpose of this research is to translate BM into Indonesian. By using the translation engine of the Minangkabau Language Stemming Algorithm (SBMK). The data processed were 600 basic words in printed dictionaries and sentences in 12 BM documents. The level of accuracy of the translation results from this study is 98.33% for basic words and 94.68% for sentences in the document. The resulting algorithm is very precise to translate and process the basic word spelling checker in BM words and documents into Indonesian.

Keywords—language, Minangkabau, translation engine, spelling checker, basic words.

I. INTRODUCTION

The Minangkabau language is a regional language used by the Minangkabau people from the Minangkabau Highlands in West Sumatra, South Sumatra, and the west coast of the Mukomuko region [1]. The Minangkabau language (BM) is very popular with its various dialects, such as Agam, Batu Sangkar, Pesisir, Solok, and Pariaman [2]. BM has several unique words in prefixes, insertions, suffixes, combinations, and disconnected affixes. In prefixes consisting of ba-1, ba-2, maN, paN-, pa-, ta, no, di, sa, ka, raw, and basi, insert -il, -al, -ar, -am, and in, endings -an, -kan, I, and -lah, compound ba-Kan, ba-1, no-Kan, pa-Kan, ba-lah, standar-lah, stale-lah, man-pa-Kan, no-pa-Kan, no-sa-Kan, sa-paN, di-pa-sa-Kan, and interrupted affixes Ka..an, Ka..no, paN..an. The uniqueness that exists in the Minangkabau language is in the insertion affix, where of the five insertion words in Minangkabau language, only il, ar, am are widely used, which are not too productive[3]. Morphologically rich language, and morphological and ambiguous analysis plays an important role in most Natural Language Processing (NLP) tasks[4]. NLP is a branch of artificial intelligence that focuses on natural language processing. The language that would understood by the computer requires a process first so that the user's wishes can be clearly understood by the computer[5]. Stemming is a sub-field of NLP, which is a phase process in pre-processing finding the root or root word in a particular word [6][7][8]. Stemming is widely used in application development, especially in terms of Information Retrieval (IR), and text mining, to improve system performance [9][10][11]. The stemming function here is to cut or separate the basic words with affixes, both prefixes, insertions, suffixes, or combinations [12], [13].

The stemming algorithm had widely used for many cases, such as determining similarities in submitting thesis titles using Nazief & Adriani stemming [14], Then compare two Indonesian stemmers Porter and Arifin Setiono, to find out which stemmer is more effective in determining the root word [15]. Arifin and Setiono also proposed a new algorithm similar to Nazief, but adding affixes to words to be omitted, resulting in a more effective root word [16]. Stemming on tweet documents to analyze the public opinion of Indonesian tweets about presidential candidates of the Republic of Indonesia in 2014 using Naive Bayes classification, Maximum Entropy classification, and Support Vector Machines[17]. ECS stemming reduces the number of terms generated at the preprocessing stage by using the Clustering method[18]. Affix grouping based on Indonesian morphology stemming algorithm Enhanced Confix Stripping (ECS), New Enhanced Confix Striping (NECS) stemming algorithm, and UG18 stemming algorithm[19].

The stemming methods that exist in each language are different from each other, where Indonesian stemming has a different morphology from the Minangkabau language stemming. Stemming for the Minangkabau language is more complicated because several affixes will be removed to get the root word. Stemming regional languages using the Rule-Based Approach which produces an accuracy rate of 96.94% with a total of 120 incorrect words corrected to 20 incorrect words[20], modification of the Enhanced Confix Stripping stemmer method, using data in the form of text/poetry in the Madurese language [21].

II. MATERIAL AND METHOD

A. The Spell Check

Spell Check is the process of checking for spelling errors of words in the text and providing solutions for errors automatically. Errors that arise can be caused by the use of the wrong words, and typing and coding errors. Spelling errors are divided into two, namely non-word errors and real-word errors. Non-word errors occur because the typed word is not in the dictionary, the word is in the dictionary but is wrong in the context [22], [23]. The challenges in making a spelling checker are in the process of finding the wrong word and providing suggestions in the form of the right word to replace the mistake word, as well as the process of recognizing grammar in sentences, whether ambiguity and words that do not exist in the dictionary are also known as Out of Vocabulary (OOV) While errors in non-words, the process of checking excessive letters and spelling words [24].

B. Minangkabau language (BM)

Minangkabau language (BM) has three types of word meanings (phonemes) [25]. The three phonemes are 5 vowels, namely a, i, u, e, and o; 20 consonants, and 6 diphthongs, namely id, ud, aw, ay, uy, ed [26]. The smallest words (morphemes) in BM consist of 1 to 4 syllables that have meaning [27]. Morphological morpheme processes are grouped into seven groups of affixes which are presented in TABLE I.

TABLE I. BM AFFIX GROUP

No	Group	Affix
1.	Prefix	ba-1, ba-2, maN, paN-, pa-,ta, no, sa, baku
		, baka, basi, ka, bapa, tapa, maN pa, sa pa
2.	Insert	-il, -al, -ar, -am, iŋ
3.	Suffix	-an, -kan,i, dan lah
4.	Disconnected A	kaan, kano, paNan
	ffix	
5.	Combination of	Combination of prefix and suffix (ba Kan, b
	prefix and suffix	a- i, no- Kan, pa-Kan, ba- lah, baku- lah, ba
		si- lah),
		Combined Suffix and Prefix (MaN- pa- Kan
		, no- pa- Kan, No- sa- Kan, sa-paN, di-pa-s
		a-Kan)
6.	Combination of	maNpaKanlah, maNsaKanlah
	prefix and comb	dipaKanlah,disaKanlah, bakulah, basi
	ination of suffix	lah, sapaNlah
7.	Other disconnec	ba2kaan,ba2paNan, sapaN.an
	ted affixes	

Based on the group of affixes in TABLE I, word formation can be done using (1).

kd = [aw] + [akh] + [dk] + [sis] + gab] (1)

Where kd is a basic word in documents and sentences, aw is a prefix, akh is a suffix, ds is a basic word, sis is an insertion in a sentence, and gab is a combination of affixes. The part of the word that is combined with the root word will form an affix. The Minangkabau Language Stemming Algorithm (SBMK) process begins with finding the word to be stemmed in the dictionary. If a word is found, it becomes the root word and the process stops. If the word is not found, then the deletion process is carried out starting from the deletion of the prefix, the deletion of the suffix, the removal of the insert, the deletion of the interrupted affix, and the deletion of the combined. All processes refer to checking in the Minangkabau language dictionary. If the word you are looking for is not found in the dictionary, then the word you are looking for becomes the root word.

Documents containing variations in various forms of letters and punctuation, need to be uniformed through a preprocessing process with the aim that the data used is free of noise. The preprocessing stage includes case folding, tokenizing, stopword removing, and stemming processes[28]. Case Folding is the process of changing the entire text in a document into lowercase letters, such as 'a', 'b', etc., tokenizing is the process of separating a document into parts, and removing some characters, such as punctuation marks. Stopword Removing is the process of removing words that have no meaning, such as 'and', 'or', 'by'[29]. Stemming is the process of separating root words from prefixes (prefixes), insertions (infixes), suffixes (suffixes), and combinations (confixes)[30].

The stages of the process of checking the spelling and translation of the Minangkabau language are presented in Fig. 1.



Fig. 1. Stages of the Translation Process

Fig. 2, describes the process carried out in checking the spelling of the Minangkabau language, starting from the preprocessing stage, before proceeding to the next stage, a language dictionary is needed to check words according to the morphological analysis of the language used. The preprocessing stage consists of processes, such as case folding, which removes all periods and punctuation marks in a document, then proceeds with the tokenizing process, which is the process of separating each syllable, then the stopword removing process, which removes words. words that have no meaning, such as the word and, or, by, etc. Then there is the stemming process, which is to remove existing affixes such as prefixes, insertions, and suffixes. Then proceed to the error detection and error correction process. After checking and correcting errors which refers to the analysis of the morphology of the language, then it produces results in the form of words in the document. Next, carry out the language translation process, according to the EYD rules in Indonesian. The algorithm of the translation process is presented in the following pseudocode in Fig. 2.

time and the second	
Translasi Algorithm	
Input : KD,Kata, Kal	
Output : KD, Kata, Kal	
Initialization preg_match	
If (cekKamus(\$ 1 KD)){	
<pre>\$data['kata1']='\$_1_KD;</pre>	
<pre>\$data['kata2']='\$_2_Kata;</pre>	
\$data['kata3']='\$_3_Kal;	
Else	
If (preg-match 'KD'){	
<pre>If (preg_match('KD'){</pre>	
Return Tampil KD;	
Return Arti KD;	
End if	
Else	
If (preg-match ('Kata'))	
If (preg_match ('Kata'	·)){
Return Tampil Kata;	
Return Arti kata;	
End if	
Else	
If (preg-match('Kal'))){
Return hapus Kal;	
Return Arti Kal;	
End if	
End If	
End If	

Fig. 2. Translation Pseudocode

The translation algorithm in Fig. 1 is based on the grouping of basic words, words, and sentences in the morphology of the Minangkabau language. The translation process is carried out starting from the root word. This algorithm processes basic words, words, and sentences in the document which will produce basic words, words, and sentences in the Minangkabau language. Base words, words, and sentences will be validated with the database. Basic words, words, and sentences found in the database will be processed to produce basic words, words, and sentences that have been translated into Indonesian. Like the word, "barangkek" will be "depart".

III. RESULT AND DISCUSSION

The translation algorithm was tested on 600 basic words. The choice of words tested was based on the groups of vowels and consonants in the database. The translation algorithm was also tested on 12 Minangkabau language folklore documents. Each test result is validated by an expert and the formula to determine the level of accuracy in the word is presented in (2). Accuracy values for words that were successfully translated in the document using (3).

Word Translation Acc =
$$\frac{\sum SW}{\sum IW} \ge 100\%$$
 (2)

Doc Translation Acc
$$= \frac{\sum SD}{\sum ID} \times 100\%$$
 (3)

Where \sum SW is the number of successful word translations, and \sum IW is the number of words tested. \sum SD is the total translation of documents, and \sum ID is the number of test documents. The algorithm application is implemented using the PHP Programming Language with test data in the form of a dictionary stored in a MySQL database. One of the test results using the application is presented in Fig. 4.



Fig. 4. Testing interface (a) Spelling Checker, (b) Translator results

TABLE II. TEST RESULTS ON THE WORD

No.	Group	Word Count	Word Translate	Accuracy (%)	
1.	prefix	387	385	99.00	
2.	insert	11	10	91.00	
3.	suffix	96	93	97.00	
4.	affix	59	57	97.00	
5.	Combination of prefix and suffix	18	17	94.00	
6.	Combined prefix and combined suffix	24	23	96.00	
7.	Another disconnected affix	5	5	100.00	
	Total 600 590				
Avera	Average 98.33				

TABLE III. TEST RESULTS ON WORDS IN THE DOCUMENT

No	Tittle	Word	Word	Accuracy	
INO	Tittle	Count	Translate	(%)	
1.	Asal usul	199	190	95.00	
1.	Maninjau.txt	177	170	75.00	
2.	Mande.txt	72	65	90.00	
3.	Cerita	112	100	89.00	
5.	Minang.txt	112	100	87.00	
4.	Mengutaroan	1,403	1,320	94.00	
	Cinto.txt	-			
5.	Barubek.txt	394	372	94.00	
6.	Di rumah Puti	453	435	96.00	
0.	Galang.txt	433	435	90.00	
7.	Talaraik dek	1,722	1,700	99.00	
7.	harato.txt	1,722	1,700	<i>))</i> .00	
8.	Mandapek	518	480	93.00	
0.	Malu.txt	510	+00	75.00	
9.	Di tingga	193	180	93.00	
<i>.</i>	Marantau.txt	175	100	95.00	
10.	pituah bapak	477	464	97.00	
10.	jo mande.txt	477	-10-1	97.00	
11.	Malin	399	350	88.00	
-	Kundang.txt				
12.	Marantau.txt	507 6,449	450	89.00	
Total	Total		6,106		
Aver	Average 94.68				

Based on the test results in TABLE II and III, the average accuracy level of translators from the SBMK algorithm is obtained, namely:

$$Accuration = \frac{Word Trans Accu+doc Trans Accu}{2}$$
(4)

$$=\frac{98.33\% + 94.68\%}{2} = 96.50\%$$

With an accuracy result of 96.50%, it makes the translation algorithm reliable, and has advantages in translating words, sentences in documents. Another advantage of the translation algorithm is that it can work very well and can also identify words and spelling checkers in sentences.

IV. CONCLUSSION

The translation algorithm is a standard stemming algorithm for the Minangkabau language which can be implemented for translating words and sentences in documents. The translation algorithm can determine the spelling checker for words and sentences in the document. The system produces an accuracy rate of 96.50% from 600 words and 12 documents containing.

References

- M. Nur, "King Pagaruyung in Minangkabau in Historical Perspective," J. Anal. Sej., vol. 9, no. 2, pp. 9–29, 2020.
- [2] F. Rahman and S. Kurniati, "Ibhas: Ludling the Minangkabau dialect of the South Coastal language," KEMBARA (Scientific Journal of Language, Literature, and Its Teaching), vol. 7, no. 2, pp. 51–64, 2021.
- [3] B. K. H. Nio, "Minangkabau Language Morphology and Syntax," History, vol. I, no. 1636, pp. 1631–1634, 1979.
- [4] A. Nzeyimana, "Morphological disambiguation from stemming data," pp. 4649–4660, 2021, doi: 10.18653/v1/2020.coling-main.409.
- [5] U. Hasanah, T. Astuti, R. Wahyudi, Z. Rifai, and R. A. Pambudi, "An experimental study of text preprocessing techniques for automatic short answer grading in Indonesian," Proc. - 2018 3rd Int. Conf. Inf. Technol. Inf. Syst. Electr. Eng. ICITISEE 2018, pp. 230–234, 2018, doi: 10.1109/ICITISEE.2018.8720957.
- [6] A. S. Rizki, A. Tjahyanto, and R. Trialih, "Comparison of stemming algorithms on Indonesian text processing," Telkomnika (Telecommunication Comput. Electron. Control., vol. 17, no. 1, pp. 95–102, 2019, doi: 10.12928/TELKOMNIKA.v17i1.10183.
- [7] F. S. Utomo, N. Suryana, and M. S. Azmi, "Stemming impact analysis on Indonesian Quran translation and their exegesis classification for ontology instances," IIUM Eng. J., vol. 21, no. 1, pp. 33–50, 2020, doi: 10.31436/iiumej.v21i1.1170.
- [8] C. Moral, A. de Antonio, R. Imbert, and J. Ramírez, "A survey of stemming algorithms in information retrieval," Inf. Res., vol. 19, no. 1, 2014.
- [9] Y. Jaafar, D. Namly, K. Bouzoubaa, and A. Yousfi, "Enhancing Arabic stemming process using resources and benchmarking tools," J. King Saud Univ. - Comput. Inf. Sci., vol. 29, no. 2, pp. 164–170, 2017, doi: 10.1016/j.jksuci.2016.11.010.
- [10] I. Shrestha and S. S. Dhakal, "A new stemmer for Nepali language," Proc. - 2016 Int. Conf. Adv. Comput. Commun. Autom. (Fall), ICACCA 2016, pp. 0–4, 2016, doi: 10.1109/ICACCAF.2016.7749008.
- [11] H. A. R. Nur Hidayatullah, Aji Prasetya Wibawa, "Application of ECS Stemmer for Nazief & Adriani Modifications in Javanese," vol. 1, no. 10, 2019.
- [12] R. Setiawan, A. Kurniawan, W. Budiharto, I. H. Kartowisastro, and H. Prabowo, "Flexible affix classification for stemming Indonesian Language," 2016 13th Int. Conf. Electr. Eng. Comput. Telecommun. Inf. Technol. ECTI-CON 2016, 2016, doi: 10.1109/ECTICon.2016.7561257.
- [13] I. P. M. Wirayasa, I. M. A. Wirawan, and I. M. A. Pradnyana, "Bastal Algorithm: Nazief & Adriani Algorithm Adaptation for Balinese Text Stemming," J. Nas. Pendidik. Tek. Inform., vol. 8, no. 1, p. 60, 2019, doi: 10.23887/janapati.v8i1.13500.
- [14] H. Pramudita, "Application of Nazief & Adriani Stemming Algorithm and Similarity in Acceptance of Thesis Title," Data Manaj. dan Teknol. Inf., vol. 15, no. 4, p. 15, 2014.
- [15] D. Novitasari, "Comparison of Porter's Stemming Algorithm with Arifin Setiono to Determine the Accuracy Level of Basic Words," STRING (Unit of Writing Ris. and Inov. Teknol., vol. 1, no. 2, p. 120, 2017, doi: 10.30998/string.v1i2.1031.
- [16] A. S. Rizki, "Comparison of Indonesian Stemmers and Their Impact on Indonesian Text Mining, Case Study of PLN Customer Complaints Grouping," p. 205, 2017, [Online]. Available: http://repository.its.ac.id/43254/
- [17] B. H. Iswanto and V. Poerwoto, "Sentiment analysis on Bahasa Indonesia tweets using Unibigram models and machine learning techniques," IOP Conf. Ser. Mater. Sci. Eng., vol. 434, no. 1, pp. 0–6, 2018, doi: 10.1088/1757-899X/434/1/012255.
- [18] T. Winarti, J. Kerami, and S. Arief, "Determining Term on Text Document Clustering using Algorithm of Enhanced Confix Stripping Stemming," Int. J. Comput. Appl., vol. 157, no. 9, pp. 8–13, 2017, doi: 10.5120/ijca2017912761.
- [19] I. Mulyana, A. Suhendra, Ernastuti, and W. Bheta Agus, "Development of indonesian stemming algorithms through modification of grouping, sequencing and removing of affixes based on morphophonemic," Int. J. Recent Technol. Eng., vol. 8, no. 2 Special Issue 7, pp. 179–184, 2019, doi: 10.35940/ijrte.B1044.0782S719.

- [20] N. W. Wardani and P. G. S. C. Nugraha, "Balinese Text Stemming with Enhanced Confix Stripping Algorithm," Int. J. Nat. Sci. Eng., vol. 4, no. 3, p. 103, 2020, doi: 10.23887/ijnse.v4i3.30309.
- [21] R. Maulidi, "Modification of Enhanced Confix Stripping Method," Pros. Semin. Nas. FDI 2016, no. December, pp. 12–15, 2016.
- [22] S. H. Wibowo, B. Soerowirdjo, Ernastuti, and A. Tarigan, "Spelling checker of words in rejang language using the n-gram and euclidean distance methods," J. Comput. Theor. Nanosci., vol. 16, no. 12, pp. 5384–5395, 2019, doi: 10.1166/jctn.2019.8607.
- [23] U. Liyanapathirana, K. Gunasinghe, and G. Dias, "Sinspell: A comprehensive spelling checker for sinhala," arXiv Prepr. arXiv2107.02983, 2021.
- [24] A. I. Fahma, I. Cholissodin, and R. S. Perdana, "Identification of Typographical Errors in Indonesian Language Documents Using N-Gram and Levenshtein Distance Methods," J. Pengemb. Teknol. Inf. dan Ilmu Komput., vol. 2, no. 1, pp. 53–62, 2018.
- [25] B. McDonnell, "A conservative vowel phoneme inventory of sumatra: The case of besemah," Ocean. Linguist., vol. 47, no. 2, pp. 409–432, 2009, doi: 10.1353/ol.0.0020.
- [26] N. Kharisma, N. Nadra, and R. Reniwati, "Phonology of Minangkabau Language Isolect Sikucur," Diglosia J. Kaji. Language, Literature and Its Teaching, vol. 4, no. 4, pp. 425–440, 2021, doi: 10.30872/diglosia.v4i4.280.
- [27] C. R. Fortin and D. Brodkin, "Minangkabau -i: A locative, transitivizing, iterative, adversative suffix," Proc. Linguist. Soc. Am., vol. 2, p. 42, 2017, doi: 10.3765/plsa.v2i0.4098.
- [28] F. S. Jumeilah, "Implementation of Support Vector Machine (SVM) for Research Categorization," J. RESTI (System Engineering. and Technol. Information), vol. 1, no. 1, pp. 19–25, 2017, doi: 10.29207/resti.v1i1.11.
- [29] D. Alita and A. R. Isnain, "Sarcasm Detection in Sentiment Analysis Process Using Random Forest Classifier," J. Komputasi, vol. 8, no. 2, pp. 50–58, 2020, doi: 10.23960/komputasi.v8i2.2615.
- [30] A. P. Wibawa, F. A. Dwiyanto, I. A. E. Zaeni, R. K. Nurrohman, and A. Afandi, "Stemming javanese affix words using nazief and adriani modifications," J. Inform., vol. 14, no. 1, p. 36, 2020, doi: 10.26555/jifo.v14i1.a17106.



2022 CONFERENCE PROCEEDINGS

Please visit website for more information isitdi.conference.unand.ac.id



😂 Table of Contents

😂 Technical Papers

Search Authors Index

ISBN: 978-1-6654-6116-0 Part Number: CFP22CE7-ART

© Copyright 2022 IEEE. Personal use of this material is permitted. However, permission to reprint/republish this material for advertising or promotional purposes or for creating new collective works for resale or redistribution to servers or lists, or to use any copyrighted component of this work in other work must be obtained from the IEEE

SPONSORS AND ORGANIZERS



Proceedings of the 2022 International Symposium on Information Technology and Digital Innovation (ISITDI)

Copyright and Reprint Permission:

Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through:

Copyright Clearance Center 222 Rosewood Drive Danvers MA 01923.

For reprint or republication permission, email to: IEEE Copyrights Manager at pubs-permissions@ieee.org

All rights reserved. Copyright ©2022 by IEEE.

IEEE Catalog Number CFP22CE7-ART ISBN 978-1-6654-6116-0

PREFACE

Warmly welcome you to International Symposium on Information Technology and Digital Innovations 2022, The theme for this year is Technology Innovation During Pandemic.

With a record number of participants expected this year, we are delighted to see that these symposiums are becoming larger and larger in the future. I am equally excited about the record number of sessions, and the wide variety of ideas that scholars and practitioners will bring into our fold.

I am thankful to the conference organizing committee members, the track chairs, the session chairs, and without whose generous contributions this symposium. We also appreciate the cadre of sponsors supporting this conference.

Most of all, I thank you, the participants, for enriching this symposium with your presence. I hope you will enjoy the content, renew old friendships, make new friends, get new ideas, and above all, have a good time.

Dr.Eng. Budi Rahmadya (Universitas Andalas, Indonesia)

Conference Chair of ISITDI 2022

Table of Content

Room	Title	Daga
Number	Authors	Page
R1-01	Gender and Intent Classification from Finger Swiping Behaviours on Gesture Keyboards Using LSTM Ryan Adipradana, Bernard Wijaya Winston, Rusli Henry Lucky, and Derwin Suhartono	
R1-02	An RFID-Based Battery-Less Vibration Monitoring System for Electrical Appliances Zegun Song, Ran Sun, Budi Rahmadya, and Shigeki Takeda	6 - 10
R1-03	Image Enhancement on Deep Learning Algorithm for COVID-19 Lung X-Ray Classification Said Thaufik Rizaldi, Mustakim, Inggih Permana, and M Afdal	11 - 15
R1-04	Comparison of Naïve Bayes, C4.5 and K- Nearest Neighbor for Covid-19 Data Classification Umairah Rizkya Gurning, Mustakim, and Said Thaufik Rizaldi	16 - 21
R1-05	Fatigue Warning System During Physical Exercise Basedon Heart Rate and Oxygen Saturation Using Non-invasiveWearable SensorDody Ichwana and Shelvi Ekarian	22 - 26
R1-06	The Implementation of Hand Gestures on The FountainBurst PatternRahmi Eka Putri and Nur Afni Nazara	27 - 31
R1-07	LPWAN Communication in IoT Network for ElectricalEnergy MonitoringHanalde Andre, Rizki Wahyu Pratama, Febi Sabila, YoppiLisyadi Oktapianus, Teddy Yuliswar, Darmawan, Dwi WellySukma Nirad, Andrew Kurniawan Vadreas, and J. Rahmadoni	32 - 35
R2-01	Designing Service Architecture Platform using SCSE Framework for National Archive System Based on OAIS and Microservice Modeling Ninon Nurul Faiza, Suhardi, and Taufik Iqbal Ramdhani	36 - 41
R2-02	Enhance IDS Detection using Hybridization Deep SDAE and Decision Tree Muh Hanafi	42 - 47
R2-03	The Implementation of Business Intelligence onVisualisation of Transaction Data Analysis usingDashboard System Case Study: XYZ Convenience StoreRicky Akbar, Wahyudi, J. Rahmadoni, and Hanifah Lubis	48 - 55

Room	Title	Daga
Number	Authors	Page
R2-04	Gamification Methods of Game-Based Learning Applications in Medical Competence: A Systematic Literature Review	56 - 60
	Lazuardi Fatahilah Hamdi, Bimo Sunarfri Hantono, and Adhistya Erna Permanasari	
R2-05	Notification System and GPS Position Tracking as a Security Feature for Child Pick Up at Daycare	61 - 64
R2-06	Ratna Aisuwarya Impact Big Data Analytics for Healthcare Sector Using Classification Algorithm	65 - 70
R2-07	Anita Sindar Ros Maryana Sinaga Coffee Shop Recommendation System Using an Item- Based Collaborative Filtering Approach	71 - 73
R3-01	Renita Astri, Ahmad Kamal, and Suaini SuraAsset Growth Classification Based on FinancialPerformance of LQ45 Indexed Companies by UsingLogistic RegressionNurweni Putri, Dodi Devianto, and Tia Hafazah	74 - 79
R3-02	Social Media Influence on Effectiveness of Customer Knowledge Management: Case study of PT XYZ Rommy Bastian Hutauruk	80 - 85
R3-03	Essay Test Based E-Testing Using Cosine Similarity Vector Space Model Wahyudi Wahyudi, Ricky Akbar, Teguh Suharsono, and Ahmad Indrapriyatna	86 - 91
R3-04	Detection, Prevention and Emergency Solution of RoadAccidents in Bangladesh using IoTMd. Sumon Fakir, Najmus Sakib, Md. Solaiman Mia, and NajmusSakib Sizan	92 - 97
R3-05	Usability Evaluation Methods of Mobile Applications: A Systematic Literature Review Adi Nugroho, Paulus Insap Santosa, and Rudy Hartanto	98 - 101
R3-06	Design of Socio-Technopreneur Platform Model as Innovative Solution to Environmental and Economic Problems Dwi Welly Sukma Nirad, Afriyanti Dwi Kartika, Andrew Kurniawan Vadreas, Hanalde Andre, Winda Amelia, and Salsabila Rahmah	102 - 106
R4-01	Development of Component Recognition Applications and Labor Tools Based on Android and Tiny Yolo Networks (Case Study: Signal and System Laboratory)	107 - 113

Room	Title	Page
Number	Authors	I age
	Dodon Yendri, Desta Yolanda, and Lathifah Arief	
R4-02	Automated Text Summarization and Topic Detection on News Aggregation System Using BART and SVM Albert Wihardi, Farrel Octavianus, Muhamad Keenan Ario, and Derwin Suhartono	114 - 119
R4-03	Sexual Violence Classification as Hate Speech using Indonesian TweetMuammar Notareza Ramadhan, Indra Budi, Aris Budi Santoso,	120 - 126
R4-04	and Ryan Randy SuryonoApplication of Residual Network Architecture on Covid- 19 Chest x-ray ClassificationSusanti Susanti, Mustakim Mustakim Rice Novita, and Inggih Permana	127 - 131
R4-05	Two-Way Multivariate Analysis of Variance in Comparative Analysis of Study Exam Scores Based on Learning Methods and Student Gender Dwi Sulistiowati, Iswan Rina, and Nadia Febrian	132 - 136
R4-06	Graph Coloring Applications in Scheduling Courses using Welch-Powell Algorithm - A case study Iswan Rina and Dwi Sulistiowati	137 - 142
R4-07	COVID-19 SEIRV Model Simulation in West Sumatra Province Using Runge Kutta 4th Order Maya Sari Syahrul	142 -145
R4-08	Hidden Markov Model as the Predictive Time SeriesMovement of Natural Gas PriceDodi Devianto	146 - 152
R4-09	Identification of Motorcycle Traffic Violations with Deep Learning Method Rian Ferdian and Tiara Permata Sari	152 -155
R5-01	Strategy to Improve Data Quality Management: A Case Study of Master Data at Government Organization in Indonesia Rizqa Nulhusna, Nur Fajar Taufiq, and Yova Ruldeviyani	156 - 162
R5-02	Rizda Nainasha, Nar Fajar Taujiq, and Yova Rudeviyani BERT and ULMFiT Deep Ensemble Model for Personality Prediction from Social Media Text Noptovius Halimawan, Derwin Suhartono, Aryo Gema, and Rezki Yunanda	162 - 165
R5-03	Network Automation for CE Router with Route Leaking in MPLS-VPN NetworkMochamad Yazid Gupron, Umaisaroh, and Agung Wicaksono	168 - 173

Room	Title	Daga
Number	Authors	Page
R5-04	A Safe Approach to Sensitive Dropout Data Collection	174 177
K5-04	Systems by Utilizing Homomorphic Encryption Rifki Suwandi and Aciek Ida Wuryandari	174 - 177
	Design and Analysis of Bandung-Jakarta High- Speed Rail Fiber Optic Backbone Network	170 102
R5-05	Naufal Inas Fikri, Primayoga Budyprawira, Listi Farida, Stevan Pasaribu Muhammad Athalah, Reza Febrian, and Catur Apriono	178 - 182
R5-06	Security and Privacy Issue in Internet of Things, Smart Building System: A Review	183 - 186
	Inggit Putri Naria, Selo Sulistyo, and Widy Widyawan	
R5-07	Smart City Service System Design Based on Microservice Architecture: Case Study in Magelang City	187 - 193
	Muhammad Tri Adhi Utomo, Rudy Hartanto, and Selo Sulistyo	
	HRIS Implementation Process: Case Study on Bank XYZ	
R5-08	Anggoro Gagah Nugroho, Haryani Diah Sitawati, Hidayat Akbar, Retiana Fatma Pertiwi, and Panca O. Hadi Putra	194 - 200
R5-09	Development of the Minangkabau Local Language	
	Rini Sovia	

Author Index

Author	Session	Page	Title
Adipradana, Ryan	R1-01	1 - 5	Gender and Intent Classification from Finger Swiping Behaviours on Gesture Keyboards Using LSTM
Afdal, Muhammad	R1-03	11 - 15	Image Enhancement on Deep Learning Algorithm for COVID-19 Lung X-Ray Classification
Aisuwarya, Ratna	R2-06	61 - 64	Notification System and GPS Position Tracking as a Security Feature for Child Pick Up at Daycare
Akbar, Hidayat	R5-08	194 - 200	HRIS Implementation Process: Case Study on Bank XYZ
Akbar, Ricky	R2-04	48 - 55	The Implementation of Business Intelligence on Visualisation of Transaction Data Analysis using Dashboard System Case Study: XYZ Convenience Store
	R3-03	86 - 91	Essay Test Based E-Testing Using Cosine Similarity Vector Space Model
Andre, Hanalde	R1-08	32 - 35	LPWAN Communication in IoT Network for Electrical Energy Monitoring
Apriono, Catur	R5-05	178 - 182	Design and Analysis of Bandung-Jakarta High- Speed Rail Fiber Optic Backbone Network
	R3-08	102 - 106	Design of Socio-Technopreneur Platform Model as Innovative Solution to Environmental and Economic Problems
Arief, Lathifah	R4-01	107 - 113	Development of Component Recognition Applications and Labor Tools Based on Android and Tiny Yolo Networks (Case Study: Signal and System Laboratory)
Ario, Muhammad Keenan	R4-02	114 - 119	Automated Text Summarization and Topic Detection on News Aggregation System Using BART and SVM
Astri, Renita	R2-08	71 - 73	Coffee Shop Recommendation System Using an Item-Based Collaborative Filtering Approach
Athalah, Stevan Pasaribu Muhammad	R5-05	178 - 182	Design and Analysis of Bandung-Jakarta High- Speed Rail Fiber Optic Backbone Network
Budi, Indra	R4-03	120 - 126	Sexual Violence Classification as Hate Speech using Indonesian Tweet
Budyaprawira, Primayoga	R5-05	178 - 182	Design and Analysis of Bandung-Jakarta High- Speed Rail Fiber Optic Backbone Network

Author	Session	Page	Title
Darmawan	R1-08	32 - 35	LPWAN Communication in IoT Network for Electrical Energy Monitoring
Devianto, Dodi	R3-01	74 - 79	Asset Growth Classification Based on Financial Performance of LQ45 Indexed Companies by Using Logistic Regression
	R4-08	146 - 151	Hidden Markov Model as the Predictive Time Series Movement of Natural Gas Price
Ekarian, Shelvi	R1-05	22 - 26	Fatigue Warning System During Physical Exercise Based on Heart Rate and Oxygen Saturation Using Non-invasive Wearable Sensor
Fakir, Md. Sumon	R3-04	92 - 97	Detection, Prevention and Emergency Solution of Road Accidents in Bangladesh using IoT
Farida, Listi	R5-05	178 - 182	Design and Analysis of Bandung-Jakarta High- Speed Rail Fiber Optic Backbone Network
Febrian, Nadia	R4-05	132 - 136	Two-Way Multivariate Analysis of Variance in Comparative Analysis of Study Exam Scores Based on Learning Methods and Student Gender
Febrian, Reza	R5-05	178 - 182	Design and Analysis of Bandung-Jakarta High- Speed Rail Fiber Optic Backbone Network
Ferdian, Rian	R4-09	152 -155	Identification of Motorcycle Traffic Violations with Deep Learning Method
Fikri, Naufal Inas	R5-05	178 - 182	Design and Analysis of Bandung-Jakarta High- Speed Rail Fiber Optic Backbone Network
Gema, Aryo	R5-02	162 - 167	BERT and ULMFiT Deep Ensemble Model for Personality Prediction from Social Media Text
Gupron, Mochamad Yazid	R5-03	168 - 173	Network Automation for CE Router with Route Leaking in MPLS-VPN Network
Gurning, Umairah Rizkya	R1-04	16 - 21	Comparison of Naïve Bayes, C4.5 and K- Nearest Neighbor for Covid-19 Data Classification
Hafazah, Tia	R3-01	74 - 79	Asset Growth Classification Based on Financial Performance of LQ45 Indexed Companies by Using Logistic Regression
Halimawan, Noptovius	R5-02	162 - 167	BERT and ULMFiT Deep Ensemble Model for Personality Prediction from Social Media Text
Hamdi, Lazuardi Fatahilah	R2-05	56 - 60	Gamification Methods of Game-Based Learning Applications in Medical Competence: A Systematic Literature Review
Hanafi, Muhammad	R2-03	42 - 47	Enhance IDS Detection using Hybridization Deep SDAE and Decision Tree

Author	Session	Page	Title
Hantono, Bimo Sunarfi	R2-05	56 - 60	Gamification Methods of Game-Based Learning Applications in Medical Competence: A Systematic Literature Review
	R3-07	98 - 101	Usability Evaluation Methods of Mobile Applications: A Systematic Literature Review
Hartanto, Rudy	R5-07	187 - 193	Smart City Service System Design Based on Microservice Architecture: Case Study in Magelang City
Hutauruk, Rommy Bastian	R3-02	80 - 85	Social Media Influence on Effectiveness of Customer Knowledge Management: Case study of PT XYZ
Ichwana, Dody	R1-05	22 - 26	Fatigue Warning System During Physical Exercise Based on Heart Rate and Oxygen Saturation Using Non-invasive Wearable Sensor
Indrapriyatna, Ahmad	R3-03	86 - 91	Essay Test Based E-Testing Using Cosine Similarity Vector Space Model
Kamal, Ahmad	R2-08	71 - 73	Coffee Shop Recommendation System Using an Item-Based Collaborative Filtering Approach
Lubis, Hanifah	R2-04	48 - 55	The Implementation of Business Intelligence on Visualisation of Transaction Data Analysis using Dashboard System Case Study: XYZ Convenience Store
Lucky, Rush Henry	R1-01	1 - 5	Gender and Intent Classification from Finger Swiping Behaviours on Gesture Keyboards Using LSTM
Mia, Md. Solaiman	R3-04	92 - 97	Detection, Prevention and Emergency Solution of Road Accidents in Bangladesh using IoT
Mustalia	R1-03	11 - 15	Image Enhancement on Deep Learning Algorithm for COVID-19 Lung X-Ray Classification
Mustakim	R1-04	16 - 21	Comparison of Naïve Bayes, C4.5 and K- Nearest Neighbor for Covid-19 Data Classification
Naria, Inggit Putri	R5-06	183 - 186	Security and Privacy Issue in Internet of Things, Smart Building System: A Review
Nazara, Nur Afni	R1-07	27 - 31	The Implementation of Hand Gestures On The Fountain Burst Pattern
Ningd Deel W 11	R1-08		LPWAN Communication in IoT Network for Electrical Energy Monitoring
Nirad, Dwi Welly Sukma	R3-08	102 - 106	Design of Socio-Technopreneur Platform Model as Innovative Solution to Environmental and Economic Problems

Author	Session	Page	Title
Novita, Mustakim Rice	R4-04	127 - 131	Application of Residual Network Architecture on Covid-19 Chest x-ray Classification
Nugroho, Adi	R3-07	98 - 101	Usability Evaluation Methods of Mobile Applications: A Systematic Literature Review
Nugroho, Anggoro Gagah	R5-08	194 - 200	HRIS Implementation Process: Case Study on Bank XYZ
Nulhusna, Rizqa	R5-01	156 - 161	Strategy to Improve Data Quality Management: A Case Study of Master Data at Government Organization in Indonesia
Octavianus, Farrel	R4-02	114 - 119	Automated Text Summarization and Topic Detection on News Aggregation System Using BART and SVM
Oktapianus, Yoppi Lisyadi	R1-08	32 - 35	LPWAN Communication in IoT Network for Electrical Energy Monitoring
Dormono Inggih	R1-03	11 - 15	Image Enhancement on Deep Learning Algorithm for COVID-19 Lung X-Ray Classification
Permana, Inggih	R4-04	127 - 131	Application of Residual Network Architecture on Covid-19 Chest x-ray Classification
Permanasari, Adhistya Erna	R2-05	56 - 60	Gamification Methods of Game-Based Learning Applications in Medical Competence: A Systematic Literature Review
Pertiwi, Retiana Fatma	R5-08	194 - 200	HRIS Implementation Process: Case Study on Bank XYZ
Pratama, Rizki Wahyu	R1-08	32 - 35	LPWAN Communication in IoT Network for Electrical Energy Monitoring
Putra, Panca. O Hadi	R5-08	194 - 200	HRIS Implementation Process: Case Study on Bank XYZ
Putri, Nurweni	R3-01	74 - 79	Asset Growth Classification Based on Financial Performance of LQ45 Indexed Companies by Using Logistic Regression
Putri, Rahmi Eka	R1-07	27 - 31	The Implementation of Hand Gestures on The Fountain Burst Pattern
	R1-08	32 - 35	LPWAN Communication in IoT Network for Electrical Energy Monitoring
Rahmadoni, Jefril	R2-04	48 - 55	The Implementation of Business Intelligence on Visualisation of Transaction Data Analysis using Dashboard System Case Study: XYZ Convenience Store
Rahmadya, Budi	R1-02	6 - 10	An RFID-Based Battery-Less Vibration Monitoring System for Electrical Appliances

Author	Session	Page	Title
Ramadhan, Muhammad Notareza	R4-03	120 - 126	Sexual Violence Classification as Hate Speech using Indonesian Tweet
Rina, Iswan	R4-05	132 - 136	Two-Way Multivariate Analysis of Variance in Comparative Analysis of Study Exam Scores Based on Learning Methods and Student Gender
	R4-06	137 - 141	Graph Coloring Applications in Scheduling Courses using Welch-Powell Algorithm - A case study
Rizaldi, Said Thaufik	R1-03	11 - 15	Image Enhancement on Deep Learning Algorithm for COVID-19 Lung X-Ray Classification
	R1-04	16 - 21	Comparison of Naïve Bayes, C4.5 and K- Nearest Neighbor for Covid-19 Data Classification
Ruldeviyani, Yova	R5-01	156 - 161	Strategy to Improve Data Quality Management: A Case Study of Master Data at Government Organization in Indonesia
Sabila, Febi	R1-08	32 - 35	LPWAN Communication in IoT Network for Electrical Energy Monitoring
Sakib, Najmus	R3-04	92 - 97	Detection, Prevention and Emergency Solution of Road Accidents in Bangladesh using IoT
Santosa, Paulus Insap	R3-07	98 - 101	Usability Evaluation Methods of Mobile Applications: A Systematic Literature Review
Santoso, Aris Budi	R4-03	120 - 126	Sexual Violence Classification as Hate Speech using Indonesian Tweet
Sari, Tiara Permata	R4-09	152 -155	Identification of Motorcycle Traffic Violations with Deep Learning Method
Sinaga, Anita Sindar Ros Maryana	R2-07	65 - 70	Impact Big Data Analytics for Healthcare Sector Using Classification Algorithm
Sitawari, Haryani Diah	R5-08	194 - 200	HRIS Implementation Process: Case Study on Bank XYZ
Sizan, Najmus Sakib	R3-04	92 - 97	Detection, Prevention and Emergency Solution of Road Accidents in Bangladesh using IoT
Song, Zequn	R1-02	6 - 10	An RFID-Based Battery-Less Vibration Monitoring System for Electrical Appliances
Sovia, Rini	R5-09	201 - 204	Development of the Minangkabau Local Language Translation Machine Based on Stemming
Suharsono, Teguh	R3-03	86 - 91	Essay Test Based E-Testing Using Cosine Similarity Vector Space Model
Suhartono, Derwin	R1-01	1 - 5	Gender and Intent Classification from Finger Swiping Behaviours on Gesture Keyboards Using LSTM

Author	Session	Page	Title
	R5-02	162 - 167	BERT and ULMFiT Deep Ensemble Model for Personality Prediction from Social Media Text
Sulistiowati, Dwi	R4-05	132 - 136	Two-Way Multivariate Analysis of Variance in Comparative Analysis of Study Exam Scores Based on Learning Methods and Student Gender
	R4-06	137 - 141	Graph Coloring Applications in Scheduling Courses using Welch-Powell Algorithm - A case study
Sulistyo, Selo	R5-06	183 - 186	Security and Privacy Issue in Internet of Things, Smart Building System: A Review
	R5-07	187 - 193	Smart City Service System Design Based on Microservice Architecture: Case Study in Magelang City
Sun, Run	R1-02	6 - 10	An RFID-Based Battery-Less Vibration Monitoring System for Electrical Appliances
Sura, Suaini	R2-08	71 - 73	Coffee Shop Recommendation System Using an Item-Based Collaborative Filtering Approach
Suryono, Ryan Randy	R4-03	120 - 126	Sexual Violence Classification as Hate Speech using Indonesian Tweet
Susanti	R4-04	127 - 131	Application of Residual Network Architecture on Covid-19 Chest x-ray Classification
Suwandi, Rifki	R5-04	174 - 177	A Safe Approach to Sensitive Dropout Data Collection Systems by Utilizing Homomorphic Encryption
Syahrul, Maya Sari	R4-07	142 -145	COVID-19 SEIRV Model Simulation in West Sumatra Province Using Runge Kutta 4th Order
Takeda, Shigeki	R1-02	6 - 10	An RFID-Based Battery-Less Vibration Monitoring System for Electrical Appliances
Taufiq, Nur Fajar	R5-01	156 - 161	Strategy to Improve Data Quality Management: A Case Study of Master Data at Government Organization in Indonesia
Umaisaroh	R5-03	168 - 173	Network Automation for CE Router with Route Leaking in MPLS-VPN Network
Utomo, Muhammad Tri Adhi	R5-07	187 - 193	Smart City Service System Design Based on Microservice Architecture: Case Study in Magelang City
Vadreas, Andrew Kurniawan	R1-08	32 - 35	LPWAN Communication in IoT Network for Electrical Energy Monitoring

Author	Session	Page	Title
Wahyudi	R2-04	48 - 55	The Implementation of Business Intelligence on Visualisation of Transaction Data Analysis using Dashboard System Case Study: XYZ Convenience Store
	R3-03	86 - 91	Essay Test Based E-Testing Using Cosine Similarity Vector Space Model
Wicaksono, Agung	R5-03	168 - 173	Network Automation for CE Router with Route Leaking in MPLS-VPN Network
Widyawan, Widy	R5-06	183 - 186	Security and Privacy Issue in Internet of Things, Smart Building System: A Review
Wihardi, Albert	R4-02	114 - 119	Automated Text Summarization and Topic Detection on News Aggregation System Using BART and SVM
Winston, Bernard Wijaya	R1-01	1 - 5	Gender and Intent Classification from Finger Swiping Behaviours on Gesture Keyboards Using LSTM
Wuryandari, Aciek Ida	R5-04	174 - 177	A Safe Approach to Sensitive Dropout Data Collection Systems by Utilizing Homomorphic Encryption
Yendri, Dodon	R4-01	107 - 113	Development of Component Recognition Applications and Labor Tools Based on Android and Tiny Yolo Networks (Case Study: Signal and System Laboratory)
Yolanda, Desta	R3-08	102 - 106	Design of Socio-Technopreneur Platform Model as Innovative Solution to Environmental and Economic Problems
	R4-01	107 - 113	Development of Component Recognition Applications and Labor Tools Based on Android and Tiny Yolo Networks (Case Study: Signal and System Laboratory)
Yuliswar, Teddy	R1-08	32 - 35	LPWAN Communication in IoT Network for Electrical Energy Monitoring
Yunanda, Rezki	R5-02	162 - 167	BERT and ULMFiT Deep Ensemble Model for Personality Prediction from Social Media Text



CERTIFICATE

OF APPRECIATION AS A PRESENTER

INTERNATIONAL SYMPOSIUM ON INFORMATION TECHNOLOGY AND DIGITAL INNOVATION (ISITDI) 2022 Padang, 27-28 July 2022

Rini Sovia

For The Paper Entitled "Development of the Minangkabau Local Language Translation Machine Based on Stemming"

G. BUDI RAHMADYA

CHAIRMAN OF ISITDI

