

## ABSTRAK

### HUBUNGAN ANTARA DUKUNGAN KELUARGA DENGAN KEPATUHAN MINUM OBAT PADA PASIEN SKIZOFRENIA DI PUSKESMAS KUMUN KOTA SUNGAI PENUH

Penelitian ini bertujuan untuk mengetahui hubungan dukungan keluarga dengan kepatuhan minum obat pada pasien skizofrenia di Puskesmas Kumun, Kota Sungai Penuh. Variabel bebas dalam penelitian ini adalah dukungan keluarga dan variabel terikat adalah kepatuhan minum obat. Alat ukur yang digunakan dalam penelitian ini adalah skala dukungan keluarga dan skala kepatuhan minum obat. Teknik pemilihan sampel dalam penelitian ini adalah teknik *purposive sampling*. Sampel dalam penelitian ini adalah 95 pasien skizofrenia di Puskesmas Kumun. Uji validitas dan reliabilitas pada penelitian ini menggunakan teknik *alpha cronbach*. Hasil koefisien validitas pada skala dukungan keluarga berkisar antara 0,360 sampai dengan 0,727. Hasil koefisien validitas pada skala kepatuhan minum obat berkisar antara 0.309 sampai dengan 0.682. Dengan koefisien reliabilitas dukungan keluarga sebesar 0.898 dan pada skala kepatuhan minum obat sebesar 0.849. Berdasarkan analisis data, diperoleh nilai korelasi antara dukungan keluarga dan kepatuhan minum obat sebesar  $r = 0,564$  dengan taraf signifikan  $p = 0.000$  yang berarti hipotesis diterima. Menunjukkan hubungan dengan taraf sedang dan berarah positif, artinya semakin baik dukungan keluarga maka semakin tinggi kepatuhan minum obat, dan sebaliknya semakin kurang baik dukungan keluarga maka semakin rendah kepatuhan minum. Hal ini menunjukkan bahwa ada hubungan yang signifikan antara dukungan keluarga dengan kepatuhan minum obat pada pasien skizofrenia di Puskesmas Kumun, kota Sungai Penuh.

**Kata Kunci:** *Dukungan Keluarga, Kepatuhan Minum Obat, Skizofrenia.*

## **ABSTRACT**

### **THE RELATIONSHIP BETWEEN FAMILY SUPPORT WITH COMPLIANCE WITH DRUGS IN SCHIZOPHRENIA PATIENTS AT KUMUN PUBLIC HEALTH CENTER SUNGAI PENUH CITY**

This study aims to determine the relationship between family support and medication adherence to schizophrenia patients at Kumun Public Health Center, Sungai Penuh City. The independent variable in this study is family support and the dependent variable is medication adherence. Measuring instruments used in this study were the family support scale and medication adherence scale. The sample selection technique in this study was purposive sampling technique. The sample in this study were 95 schizophrenic patients at Kumun Public Health Center. Validity and reliability tests in this study used the Alpha Cronbach technique. The results of the validity coefficient on the family support scale ranged from 0.360 to 0.727. The results of the validity coefficient on the medication adherence scale ranged from 0.309 to 0.682. With the reliability coefficient of family support of 0.898 and the scale of adherence to taking medication of 0.849. Based on data analysis, the correlation value between family support and medication adherence was obtained by  $r = 0.564$  with a significant level of  $p = 0.000$ , which means that the hypothesis is accepted. It shows a moderate level and positive direction, meaning that the better family support, the higher the adherence to taking medication, and conversely the less good family support, the lower the compliance with drinking. This shows that there is a significant relationship between family support and medication adherence in schizophrenic patients at Kumun Public Health Center, Sungai Penuh city.

*Keywords: Family Support, Compliance with Medication, Schizophrenia*