



ICITSI
2018

International Conference on Information
Technology System and Innovation

Bandung, 22-23 Oct 2018
Padang, 25-26 Oct 2018

CALL FOR PAPER

ICITSI invites all of the representatives of academia, industry, business, government and cyber society to present recent advances in the fields of Information technology systems and innovation. All accepted and presented papers are expected to be included in **IEEE Xplore**.

TOPICS

Conference topics include 6 tracks, but are not limited to :

- 1.IT Management and Governance
- 2.Service Science, Computing and Engineering
- 3.Smart System Engineering and Innovation
4. Internet of Things and Cloud Computing
5. Cyber Security, Forensic and Law
6. Digital Service Industry Solution and Innovation

KEYNOTE

Rudiantara, MBA
Indonesian Minister of Communication
and Informatics

Dr. Arry Akhmad Arman
Bandung Institute of Technology

Prof. Minoru Okada
Nara Institute of Science and Technology

Dr.Eng. Khoirul Anwar
Telkom University

IMPORTANT DATES

Full Paper Submission Batch I : June 30th 2018
Notification of Acceptance Batch I : July 30th 2018
Camera Ready Paper Batch I : August 20th 2018
Full Paper Submission Batch II : August 6th 2018
Notification of Acceptance Batch II: September 7th 2018
Camera Ready Paper Batch II : August 20th 2018

PAPER SUBMISSION

All submissions must be done trough **EDAS** online submission system <https://edas.info/N24602>

For more information please visit our website :
<http://icitsi.com>

Organized By:   

Call for Papers

International Conference on Information Technologi System and Innovation (ICITSI) 2018

ICITSI invites all of the representatives of academia, industry, business, government and cyber society to present recent advances in the field of information technology systems and innovation. All accepted papers and presented papers are expected to be included in IEEE Xplore

Tentative Date

Bandung 22-23 Oct 2018 Padang 25-26 October 2018

For More Information please visit our website : <http://icitsi.com>

2018 International Conference on Information Technology Systems and Innovation (ICITSI)

Proceedings

October 22 – 25, 2018

Bandung - Padang, Indonesia

IEEE Conference Number # 44345

IEEE Catalog Number : CFP1890Y-ART

ISBN : 978-1-5386-5693-8



Organizer:

- School of Electrical Engineering and Informatics – ITB
- Information Technology Research Group – ITB
- Services Computing Research Group – ITB

Sponsored:



Committee

IGB. Baskara Nugraha (Institute of Technology Bandung)
Kusprasapta Mutijarsa (Institute of Technology Bandung)
Samuel Andi Kristyan (Institute of Technology Bandung)
Yoanes Bandung (Institute of Technology Bandung)
Novianto Budi Kurniawan (Institute of Technology Bandung)
Rian Ferdian (Universitas Andalas)
Nina Sulastriah (Institute of Technology Bandung)
Ikhwan Arief (Universitas Andalas)
Nefy Puteri Novani (Universitas Andalas)
Desta Yolanda (Universitas Andalas)
Dody Ichwana Putra (Universitas Andalas)
Harris Suryamen (Universitas Andalas)
Handoko (Universitas Andalas)

TABLE OF CONTENTS

A-01	Hybrid Method of Information Gain and Particle Swarm Optimization for Selection of Features of SVM-Based Sentiment Analysis <i>Ika Kurniawati and Hilman F Pardede.....</i>	1
A-02	Design of a Public Key Infrastructure-based Single Ballot E-Voting System <i>Irham Mulkan Rodiana, Budi Rahardjo, and Aciek Ida Wuryandari.....</i>	6
A-03	Investigating Factors in Information Assurance Implementation: Towards Developing an Information Assurance Framework for eGovernment in Indonesia <i>Rio Guntur Utomo, Gary B Wills, and Robert J Walters.....</i>	10
A-04	Fairness Aware Regularization on a Learning-to-Rank Recommender System for Controlling Popularity Bias in E-Commerce Domain <i>Dede Kiswanto, Dade Nurjanah, and Rita Rismala.....</i>	16
A-05	Path Determination With Classification From Data Mining Using C4.5 Algorithm <i>Suci Yonesa, Surya Michrandi Nasution, and Ratna Astuti Nugrahaeni.....</i>	22
A-06	Critical Success Factors of Knowledge Management: A Systematic Literature Review <i>Dana Indra Sensuse, Nanik Qodarsih, Jonathan Sofian Lusa, and Pudy Prima.....</i>	26
A-07	Determination Of Credit Decision Attributes Using Maximal Information Coefficient <i>Hernawati Pramesti, and Herman R.A. Talompo.....</i>	32
A-08	Integrating Knowledge Management System Features with e-Research Business Process Case Study: Center for Political Studies, LIPI <i>Shidiq Hakim, Assaf Arief, Anggih Tangkas, and Dana Sensuse.....</i>	37
A-09	Implementation of K-Nearest Neighbor with Cosine Similarity for Classification <i>Abstract International Journal of Computer Science</i> <i>Muhammad Nursalman, Jajang Kusnendar, and Ulva Fatma Fadhila.....</i>	43
A-10	Application of Layered Architecture in Whistleblowing Information System for Supporting Good University Governance in Indonesia University of Education <i>Muhammad Nursalman, Ria Anggraeni, and Muhamad Zulfikar Firdaus.....</i>	49
B-01	GSM Voice Security Improvement with Ambience Sound-Based Steganography <i>Albertus Anugerah Pekerti and Budi Rahardjo.....</i>	55
B-02	Top-N Recommendation for Shared Account on Book Recommender System <i>Rizkiyana Prima Putra, Dade Nurjanah, and Rita Rismala.....</i>	60
B-03	Enterprise Architecture Design for Construction Services Using The Open Group Architecture Framework (TOGAF): Case Study Ministry of Public Works and Housing, Indonesia <i>Atina Dwi Palupi, Hambali Hambali, Fauzan Fauzan, and Reni Maulidina Surosa.....</i>	66
B-04	Determination of the best Vehicle Pathway with Classification of data mining Twitter using K-Nearest Neighbor	72

	<i>Gd. Aditya Jana Satvika, Surya Michrandi Nasution, and Ratna Astuti Nugrahaeni.....</i>	
B-05	Formation of Software Programmer Team Based on Skill Interdependency <i>Fitria Fitria and I Gusti Bagus Baskara Nugraha.....</i>	77
B-06	A Systematic Literature Review and Meta-analysis on Project Management Platform <i>Yunofri and Novianto Budi Kurniawan.....</i>	82
B-07	Measuring Anticipated User Experiences for Enhancing Development, Case Study on E-commerce <i>Evawaty Tanuar, Harco Leslie Hendric Spits Warnars, Ford Lumban Gaol, Edi Abdurachman, and Benfano Soewito.....</i>	87
B-08	Designing Statistical Data Processing System Platform Based on SOA <i>Rini Priantari, Suhardi, and Novianto Budi Kurniawan.....</i>	93
B-09	Designing Service Computing Platform for Statistical Project Management Based on SOA <i>Yunofri, Suhardi, and Novianto Budi Kurniawan.....</i>	99
B-10	The Effect of Consumer Interest on Islamic Bank Deposits: An Analysis Using Google Trends <i>Sopian Paturohman, Dwi Suhartanto, and Muhammad Muflih.....</i>	105
C-01	Optimization and Simulation of Green Light Duration at Intersection with Particle Swarm Optimization and Cellular Automata <i>Faqih Hamami and Saiful Akbar.....</i>	110
C-02	The Mining of Co-location Patterns with Event-centric Model Approach on Spatial Database <i>Akhmad Sofwan, Aniaty M. Arymurthy, and Wahyu Catur Wibowo.....</i>	115
C-03	Study and Implementation of Prosody Manipulation Method For Indonesian Speech Synthesis System <i>Salita Ulitia Prini, Ary Setijadi Prihatmanto, and Didit Andri Jatmiko.....</i>	121
C-04	Systematic Review and Meta-Analysis of Proposed Smart Village Conceptual Model: Objectives, Strategies, Dimensions, and Foundations <i>Muhammad Mishbah, Betty Purwandari, and Dana Indra</i>	127
C-05	Designing Wearable Device In Jacket Form For Health Monitoring <i>Ikwan Thareq Kemal, Surya Michrandi Nasution, and Ratna Astuti Nugrahaeni.....</i>	134
C-06	Design and Implementation of Automatic Attendance System using ARP Request Detection <i>Okyza Prabowo and Dany Eka Saputra.....</i>	139
C-07	E-commerce of Islamic fashion product: usability and user acceptance <i>Rizkiyani Nadifa Puteri and Ari Widyanti.....</i>	143
C-08	Usability Evaluation on an Indonesian Mobile Application for Small Business Lending <i>Kezia Baskoro and Ari WidyantiAri Widyanti and Kezia Baskoro.....</i>	148
C-09	E-book in Indonesia: Reason to use and usability evaluation	154

	<i>Ferdinand S. S. Halim and Ari Widyanti.....</i>	
C-10	Current E-Government Public Service on User Experience Perspective in Indonesia	
	<i>Pristi Sukmasetya, Harry Budi Santoso, and Dana Indra Sensuse.....</i>	159
D-01	Flood Early Warning System Using Cognitive Artificial Intelligence: The Design of AWLR Sensor	
	<i>Aniessa Rinny Asnaning and Septafiansyah Dwi Putra.....</i>	165
D-02	Development of Continuous Authentication System on Android-Based Online Exam Application	
	<i>Siti Aisyah, Yoanes Bandung, and Luki B. Subekti</i>	171
D-03	A Systematic Literature Review on Survey Data Collection System	
	<i>Miswar, Suhardi, and Novianto Budi Kurniawan.....</i>	177
D-04	Clip On Wearable Device Design For Body Condition Monitoring	
	<i>Niko Bagus Pratama, Surya Michrandi Nasution, and Ratna Astuti Nugrahaeni.....</i>	182
D-05	Analysis Factors of Technology Acceptance of Cloud Storage: A Case of Higher Education Students Use Google Drive	
	<i>Yakob Utama Chandra and Sugiarto Hartono.....</i>	188
D-06	The Role Internet of Thing to Support Cultural Heritage Inventory in Urban Resilient Approach: Traditional House in Bandar Lampung Case	
	<i>Dini Hardilla and Agung Cahyo Nugroho.....</i>	193
D-07	Identification of Tomato Plant Diseases by Leaf Image Using Squeezenet Model	
	<i>Akbar Hidayatuloh, M. Nursalman, and Eki Nugraha.....</i>	199
D-08	A Design Framework for Real-time Heterogeneous Sensor Data Acquisition As a Basis of IoT Ecosystem Development	
	<i>Nehru Nehru, Andreo Yudertha, and Yosi Riduas Hais.....</i>	205
D-09	Assuring Segment Routing Distributive-ness on OpenFlow Network with Stateful Data Plane	
	<i>Akbari Indra Basuki, Muhammad Fajar Sidiq, and Djohar Syamsi.....</i>	209
D-10	Energy Aware Multiple Cluster Head Selection and Stray Nodes Handling for LEACH Protocol in Wireless Sensor Network Environments	
	<i>Ryan Rizki Adhisa and Waskitho Wibisono.....</i>	217
D-11	Development of Micro Weather Station Based on Long Range Radio Using Automatic Packet Reporting System Protocol	
	<i>Yudi Adityawarman and Josef Matondang.....</i>	221
E-01	Factors and Strategies Affecting Consumers' Purchase Intention in B2C e-Commerce	
	<i>Nadia Nur Annisa, Betty Purwandari, Iik Wilarso, and Dana Indra Sensuse.....</i>	225
E-02	Ontology Model for Indigenous Knowledge	
	<i>Lenny Putri Yulianti and Kridanto Surendro</i>	231
E-03	Factors Influencing Customer's E-Loyalty in Tourism E-Marketplace	237

	<i>Gilang Ginanjar Ronsana, Muhammad Rifki Shihab, Bob Hardian Syahbuddin, and Widia Resti Fitriani.....</i>	
E-04	Knowledge Base Model for Call Center Department : a Literature Review <i>Nadia Nur Annisa, Dana Indra Sensuse, and Iik Wilarso.....</i>	242
E-05	Does quality disconfirmation in tourism e-marketplace lead to negative tourist emotions and behaviors? <i>Yosua Pinem, Achmad Nizar Hidayanto, Muhammad Rifki Shihab, and Qorib Munajat</i>	248
E-06	Mobility Sharing and Mobile Platform for Indonesian Trucking Companies <i>Gatot Yudoko, Liane Okdinawati, Desy Anisya Farmaciawaty, Nur Budi Mulyono, and Ahmad Danu Prasetyo.....</i>	254
E-07	A Systematic Literature Review on Digital Transformation <i>Chernet Gebayew, Inkreswari Retno Hardini, Goklas Henry Agus Panjaitan, Novianto Budi Kurniawan, and Suhardi.....</i>	260
E-08	Exploring People's Intention to Become Platform-based Gig Workers: An Empirical Qualitative Study <i>Arfive Gandhi, Achmad Nizar Hidayanto, Yudho Giri Sucahyo, and Yova Ruldeviyani..</i>	266
E-09	Information Integration Analysis of Government Finance and Procurement Management Systems <i>Amalia Shaliha, Betty Purwandari, Bobby A. A. Nazief, and Iis Solichah.....</i>	272
E-10	Factors Influencing Users Acceptance of Online Consultation Feature on the SOBAT-UKM Portal <i>Yunia Mandala Sari, Betty Purwandari, Riri Satria, Yekti Wirani, Iis Solichah, and Tashia Indah Nastiti.....</i>	278
E-11	Financial Technology Acceptance Factors of Electronic Wallet and Digital Cash in Indonesia <i>Muthia Nabila, Betty Purwandari, Bobby A.A. Nazief, Dony Abdul Chalid, Sigit Sulistiyo Wibowo, and Iis Solichah.....</i>	284
F-01	Attack Vulnerabilities Analysis of Elgamal Elliptical Curve Based Stegocrypt Using Attack Trees <i>Saqfi Ahmad Rabbani, Budi Rahardjo, and Aciek Wuryandari.....</i>	290
F-02	Examining Electronic Word-Of-Mouth Communication in Social Media Context <i>Ira Siti Sarah, Dwi Suhartanto, and Lina Setiawati.....</i>	295
F-03	Analysis and Development of Boolean Expression Matching on Survey Data Validation (Case Study: Survey and Census of Statistics Indonesia) <i>Febi Dwi Haryono and Achmad Imam Kistijantoro.....</i>	300
F-04	The Determinants of User's Intention to Adopt Hyper-Converged Infrastructure Technologies: An Integrated Approach <i>Rizqie Joko Prabowo, Achmad Nizar Hidayanto, Puspa Indahati Sandhyaduhita, Fatimah Azzahro, and Azelea Chairunnisa.....</i>	306
F-05	Expert System of The Criminal Code using Forward Chaining and RDBMS Paradox	312

	<i>Gloria Christiana Manulangga, Christa Elena Blandina Bire, and Daniel Silli Bataona.....</i>	
F-06	Design Patterns in Building Software for a Middle Size League Robot Using Robot Operating System <i>Aulia Widyaputra and Kusprasapta Mutijarsa.....</i>	318
F-07	The Estimation Model of Travel Time Between Point of Interest for Tourist Travel Recommendations With Regression Analysis <i>Vivian Karurukan, I Gusti Bagus Baskara Nugraha, and Novianto Budi Kurniawan....</i>	324
F-08	Implementation of Low Bit Coding Algorithm and Cipher Block with Electronic Code Book Mode for Data Legality in Audio Steganographic Streaming <i>Muhammad Nursalman, Rizky Rachman J, and Faisal Sidik.....</i>	330
F-09	Processor Selection for OpenCL Kernels using KNN Algorithm <i>Hendra Rahmawan, Kuspriyanto Kuspriyanto, and Kusprasapta Mutijarsa.....</i>	336
F-10	Hardware Implementation in Developing Wheeled Soccer Robot for Middle Size League <i>Evan Febrianto, Vidya Putri Priandiri, and Kusprasapta Mutijarsa.....</i>	342
G-01	A Research Challenge on Mobile and Cloud Service Composition <i>Wardani Muhamad, Suhardi, and Yoanes Bandung.....</i>	347
G-02	Trust Measurement Model of Services Computing Systems: A Case Study on E-commerce Systems <i>Yudhi Biantoro, Suhardi, Yoanes Bandung, and Novianto Budi Kurniawan.....</i>	353
G-03	Microservice Platform for Smart City: Concepts, Services and Technology <i>Yuli Adam Prasetyo and Suhardi.....</i>	358
G-04	Detection of Chlorophyll Content Based on Spectral Properties at Leaf Level: A Meta-Analysis <i>Heri Andrianto, Suhardi, and Ahmad Faizal.....</i>	364
G-05	Blockchain Technology and Implementation : A Systematic Literature Review <i>Henry Rossi Andrian, Novianto Budi Kurniawan, and Suhardi.....</i>	370
G-06	Design Quality Measurement for Service Oriented Software on Service Computing System: a Systematic Literature Review <i>Renny C. Amantha Hutapea, Adnan Puji Wahyudi, and Suhardi.....</i>	375
G-07	Group Formation in Smart Learning Environment: A Literature Review <i>Budi Laksono Putro, Yusep Rosmansyah, and Suhardi.....</i>	381
H-01	Comparative Analysis of Software Quality Model In The Selection of Marketplace E-Commerce <i>Rahma Wahdiniwati, Eko Budi Setiawan, and Deden A Wahab.....</i>	386
H-02	A Literature Review on Business Continuity Based on ISO 22301, Six Sigma and Customer Satisfaction Evaluation <i>Mohammad Hafiz Hersyah and Derisma.....</i>	392

H-03	Optimization of Neural Network with Genetic Algorithm for Breast Cancer Classification	
	<i>Derisma Derisma, Meza Silvana, and Imelda Imelda.....</i>	398
H-04	A Systematic Literature Review of Business Intelligence Technology, Contribution and Application for Higher Education	
	<i>Rahmatika Pratama Santi and Hasdi Putra.....</i>	404
H-05	Development of Classification Features of Mental Disorder Characteristics Using The Fuzzy Logic Mamdani Method	
	<i>Meza Silvana, Ricky Akbar, Derisma Derisma, Mia Audina, and Firdaus Firdaus.....</i>	410
H-06	Developing a Device for Collecting of Hair Follicles for Non-incision Hair Transplantation	
	<i>Min-Gee Kim, Chang-Yong Lee, Hyun-Chul Son, Un-Ha Choi, and Sung-Young Kim...</i>	415
H-07	Development of 9 Channel Inspection Equipment for Controller Board of Automobile	
	<i>Chang-Yong Lee, Sang-Gu Yoon, Young-Hyoung Kim, and Yong-Hwan Lee.....</i>	419
H-08	OTA Vulnerability on User Equipment in Cloud Services	
	<i>Myoungsu Kim, Junyoung Park, Eunseon Jeong, Insu Oh, Kangbin Yim, and Junghoon Park.....</i>	425
I-01	Bank Indonesia Interest Rate Prediction and Forecast With Backpropagation Neural Network	
	<i>Rini Sovia, Musli Yanto, Rima Liana Gema, and Rizki Fernando.....</i>	429
I-02	Analysis of Factors for Adoption and Use of AtoM in Indonesia	
	<i>Lufi Herawan and Dana Indra Sensuse.....</i>	436
I-03	A Configuration System for Real-Time Monitoring and Controlling Electricity Consumption Behavior	
	<i>Lusi Susanti, Dicky Fatrias, Dody Ichwana, Husnil Kamil and Meylia Vivi Putri.....</i>	442
I-04	Flash Flood Early Warning System Using Mini PC Case Study: Mount Nago Water Reservoir	
	<i>Dodon Yendri, Angga Septiawan, and Zaini.....</i>	448
I-05	Advanced Traveler Information Systems: Itinerary Optimisation Using Orienteering Problem Model and Genetic Algorithm	
	<i>I Wayan A. K. Yoga, Arif Djunaidy, Wiwik Anggraeni, Ahmad Muklason, Faizal Mahananto, Edwin Riksakomara, Nisa D Angresti, Sasmi Hidayatul Y. T., and Vicha Azthanty Supoyo.....</i>	454
I-06	Utilization Of Distance Map-Based For Floating Net Cages Verification In Maninjau Lake	
	<i>Fajril Akbar, Elsa Aprillina, and Haris Suryamen.....</i>	460
I-07	A Smart Health System : Monitoring Comatose Patient's Physiological Conditions Remotely	
	<i>Tati Erlina, Marreza Rifa Saputra, and Rahmi Eka Putri.....</i>	465
I-08	Development of Automatic Fish Feeding System based on Gasping Behavior	
		470

	<i>Ratna Aisuwarya and Eddo Frans Suhendra.....</i>	
I-09	Big Data Analytics Algorithm, Data Type and Tools in Smart City: A Systematic Literature Review	
	<i>Hafid Yoza Putra, Hasdi Putra, and Novianto Budi Kurniawan.....</i>	474
J-01	Mobile Network-Based Geographic Information System Design For Disaster Logistic Distribution In Padang City	
	<i>Ahmad Syafruddin Indrapriyatna, Bahrul Hikmi, and Novianto Kurniawan.....</i>	479
J-02	Implementation of Mobile Data Collection System for Disaster Rapid Emergency Response System Using Open Data Kit	
	<i>Dody Ichwana and Tutun Juhana.....</i>	485
J-03	Movements Monitoring and Falling Detection Systems for Transient Ischemic Attack Patients Using Accelerometer Based on Internet of Things	
	<i>Dody Ichwana, M Arief, Nefy Putri Novani, and Shelvi Ekariani.....</i>	491
J-04	Heart Rate Monitoring System During Physical Exercise for Fatigue Warning Using Non-invasive Wearable Sensor	
	<i>Dody Ichwana, Rahmat Zaitul Ikhlis, and Shelvi Ekariani.....</i>	497
J-05	Performance Evaluation of Indoor Positioning Algorithm using Bluetooth Low Energy	
	<i>Adi Sunardy and Nico Surantha.....</i>	503
J-06	Control of Electrical Conductivity for NFT Hydroponic Systems Using Fuzzy Logic and Android Environment	
	<i>Desta Yolanda, Lathifah Arief, Tri Aprianto Sundara, Muhammad Deza, and Dini Oktavia.....</i>	508
J-07	Implementation of the Alamouti STBC for Multi-Pair Two-Way Wireless Networks with Amplify-and-Forward MIMO Relaying	
	<i>Yunida, Nasaruddin, Rusdha Muharar, and Yuwaldi Away.....</i>	515
J-08	Heart Rate Variability Frequency Domain for Detection of Mental Stress Using Support Vector Machine	
	<i>Nefy Novani, Lathifah Arief, Rima Anjasmara, and Ary Setijadi Prihatmanto.....</i>	520
K-01	Structured Compressive Sensing for Channel Estimation in OFDM System with ESPAR Antenna	
	<i>Rian Ferdian.....</i>	526
K-02	Experimental Study of MPEG Surround for Stereo Audio Transmission	
	<i>Amirul Luthfi, Al Kautsar Permana, Oki Saputra, and Ikhwana Elfitri.....</i>	531
K-03	A Question Answering System Using Graph-Pattern Association Rules (QAGPAR) On YAGO Knowledge Base	
	<i>Wahyudi, Masayu Leylia Khodra, Ary Setijadi Prihatmanto, and Carmadi Machbub...</i>	536
K-04	Construction of Encyclopedic Knowledge Base from Infobox of Indonesian Wikipedia	
	<i>Wahyudi, Masayu Leylia Khodra, and Yudi Wibisono.....</i>	542

K-05	A Literature Review of Inter-enterprise SOA in Small and Medium Business Communities	
	<i>Agustinus Andriyanto, Robin Doss, Lei Pan, and Purnomo Yustianto.....</i>	<i>547</i>
K-06	Consolidating Service Engineering Ontologies: Building Service Ontology from SOA Modeling Language (SoaML)	
	<i>Purnomo Yustianto, Robin Doss, Suhardi, and Novianto Budi Kurniawan.....</i>	<i>555</i>
K-07	Integrated IT Service Platform: Systematic Literature Review and Meta-Analysis	
	<i>Rini Priantari and Novianto Budi Kurniawan.....</i>	<i>562</i>
K-08	An Ontology of Services Computing Systems	
	<i>Novianto Budi Kurniawan, Suhardi, Yoanes Bandung, and Purnomo Yustianto.....</i>	<i>568</i>
K-09	Forensics Readiness survey in cloud computing with a meta-analysis approach	
	<i>Samuel Andi Kristyan and Suhardi.....</i>	<i>574</i>

Bank Indonesia Interest Rate Prediction and Forecast With Backpropagation Neural Network

Rini Sovia, Musli Yanto,
Rima Liana Gema, Rizki Fernando
Universitas Putra Indonesia YPTK padang
Padang
rini_sovia@upiypk.ac.id
musli_yanto@upiypk.ac.id
rimalianagama@upiypk.ac.id

Authors Name/s per 2nd Affiliation (*Author*)
line 1 (of *Affiliation*): dept. name of organization
line 2-name of organization, acronyms acceptable
line 3-City, Country
line 4-e-mail address if desired

Abstract —The BI Rate is a policy interest rate that plays a role in directing the movement of the national economy. The problem that arises in the study is to determine a forecast for the movement of the BI Rate. Predictions of bank interest rates can be done with various techniques and methods, one of which uses backpropagation artificial neural networks. This method is a branch of artificial intelligence that has the same process carried out by human brain tissue. The method of working method starts from analyzing the data to be used. The process starts from determining the variables namely: Dollar Exchange Rate, Amount of Money Supply, Inflation, and JCI. The process of backpropagation artificial neural network calculation is continued until the final stage of the process is to find the network output which is used as a forecasting number. The author uses Matlab Software that can determine the weight and bias values. The network architecture used is 4 input layers, 2 hidden layers, and 1 output layer and the desired target is the interest rate number

Keywords — Artificial Neural Network, Backpropagation, BI Rate

I. INTRODUCTION

The more rapid development of computer technology, computer experts try to replace computers into a tool that can mimic the intelligence of the human brain that can make their own decisions like humans. One computational technique grouped in artificial intelligence technology is artificial neural networks. Artificial Neural Network is one of the processing systems that are designed and trained to have the ability as possessed by humans in solving complex problems by carrying out the learning process. Artificial Neural Network Research on forecasting and prediction usually applies backpropagation algorithm methods. Bank Indonesia interest rate (BI Rate) is a policy interest rate that reflects the monetary policy stance or stance set by Bank Indonesia and announced to the public. Estimates of the BI Rate increase or decrease are based on the inflation rate. Inflation has a positive influence on market returns. When inflation rises, production output prices also increase, so the level of loans at banks will increase. This caused the amount of money circulating in Indonesia to increase so that the Rupiah exchange rate weakened. In addition, the high price of production output has resulted in investors preferring to invest their capital in the

capital market so that the stock price falls and the Composite Stock Price Index (JCI) will generally decline. Thus, BI will raise the BI Rate as a monetary policy response. Vice versa, when inflation has decreased, the Rupiah will strengthen, the amount of money in circulation has decreased, and the JCI has strengthened, so the monetary policy response adopted by BI is to raise the BI Rate. In other words, factors that are very influential in the BI Rate Determination are the rate of inflation and the money supply in Indonesia, the exchange rate of the Rupiah against the US Dollar, and the JCI. Therefore, through the design and construction of applications that can implement and predict the BI Rate, it is expected that it can help both the government and certain agencies in making policies related to the BI Rate.

The problem discussed in this study is forecasting the BI Rate by using Backpropagation Artificial Neural Networks. Backpropagation is an algorithm that trains data that is used to find a specified target or output form. In previous studies, predictions of bank interest rates can be done with various techniques and methods, one of which is using backpropagation artificial neural network algorithms. In this study seven input variables were used, namely the development of economic liquidity, inflation rate, economic growth rate, CAR, LDR, US interest rates and BI interest rates which were taken from the Bank Indonesia Annual Report, SEKI (Indonesian Economic and Financial Statistics) and Banking Data Indonesia [1]. The results of the prediction system implementation and evaluation use the Artificial Neural Network and compare the prediction results with the Exponential Smoothing method. The conclusions can be drawn as follows: 1. Parameter configuration for predictive system training using the best artificial neural network obtained from the experiment results in the configuration of the number of hidden nodes 50, the learning rate is 0.95, the training year limit is 1998, the momentum value is 0.95 and the MAPE tolerance is 3.97% [6]. From previous studies that have been produced, the author will conduct research with the same case in forecasting using Backpropagation Neural Networks.

II. THEORETICAL FRAMEWORK

A. Artificial Intelligence

Artificial Intelligence or Artificial Intelligence is one part of Computer Science that makes the machine (computer) can do work like and as good as humans do [9]. Artificial Intelligence meant here refers to machines that are capable of thinking, weighing the actions to be taken, and being able to make decisions like those done by humans. When compared with natural intelligence (intelligence possessed by humans), artificial intelligence has advantages, including [9]:

- Artificial Intelligence is more permanent
- Artificial Intelligence is more easily duplicated and distributed.
- Artificial Intelligence is cheaper than Natural Intelligence
- Artificial Intelligence is consistent.
- Artificial Intelligence can be documented
- Artificial Intelligence can do the job faster than Natural Intelligence
- Artificial intelligence can do a better job than natural intelligence.

B. Artificial Neural Network

Artificial Neural Network (ANN) / Simulated Neural Network (SNN) / Neural Network (NN) is a network consisting of a group of small processing units that are modeled based on human neural networks [9]. A key element of this paradigm is the structure of an information processing system that consists of a large number of interconnected processing elements (neurons), working simultaneously to solve certain problems [9]. There are three important basic components when we create a functional model of biological neurons. First, neuronal synapses are modeled as weights. The strength of the relationship between input and neurons is determined by the weight value. The negative weight value reflects the inhibitory connection, while positive values indicate the connection of the cell family. The second component is the sum of all entries modified by each weight. This activity is called a linear combination. The third component acts as a control function for the activation of the amplitude output of neurons [9]. Based on the mathematical model, whether or not an ANN model is determined by the following [5]:

- The pattern of relationships between neurons (called network architecture)
- The method for determining connecting weights (called training / learning methods / algorithms).
- Activation function.

C. Backpropagation

Backpropagation is one of the supervised learning methods that is widely used by researchers in building systems. This method is generally used in multi-layer networks with the aim of minimizing errors in output generated by the network during training. The backpropagation architecture can be seen in Figure 1 below:




Figure 1. Backpropagation Architecture

Backpropagation algorithm training consists of 3 phases, where all three phases are repeated until the termination condition is fulfilled. Generally the termination condition that is often used is the number of iterations or errors. The iteration will be stopped if the number of iterations done has exceeded the maximum number of iterations specified or if the error is smaller than the allowable tolerance limit. Following are the training steps in the Backpropagation algorithm with one hidden screen (with binary sigmoid activation function) [4].

- Step 0 : initialization weights with small random numbers.
 Step 1 : if the termination condition has not been met, do steps 2-9
 Step 2 : for each pair of training data, take steps 3-8
 Step 3: each input unit receives a signal and passes it to the hidden unit above it
 Step 4 : calculate all outputs in hidden units
 Step 5 : In each unit in the hidden layer z_j (from the 1st unit to the n th to n th unit, $i = 1, \dots, n$; $j = 1, \dots, p$) the output signal of the hidden layer is calculated by applying the activation function to the sum of x_i input signals weighs x_i :

$$Z_j = f(V_{0j} + \sum_{i=1}^n X_i V_{ij}) \quad (1)$$

- Step 6 : unit in the output layer y_k (from the 1st unit to the m th unit $i = 1, \dots, k = 1, \dots, m$) calculated its output signal by applying the activation function to the sum of the weighted input signals Z_j for this layer:

$$Y_k = f(W_{0k} + \sum_{j=1}^p Z_j W_{jk}) \quad (2)$$

- Step 7 : Each unit of output Y_k (from 1st unit to m th unit $j = 1, \dots, p$; $k = 1, \dots, m$) receives target t_k pattern then output layer error information (δ) is calculated δ_k sent to the layer below and used to calculate the weight and bias weight (Δw_{jk} and Δw_{0k}) between the hidden layer and the output layer:

$$\delta_k = (t_k - y_k) f'(W_{0k} + \sum_{j=1}^p Z_j W_{jk}) \quad (3)$$

$$\Delta W_{jk} = \alpha \delta_k Z_j \quad (4)$$

$$\Delta W_{0k} = \alpha \delta_k \quad (5)$$

- Step 8 : In each unit in the hidden layer (from unit 1 to unit p ; $i = 1, \dots, N$; $j = 1 \dots p$; $k = 1 \dots m$) the calculation of the hidden layer error information (δ_j). (δ_j) is then used to calculate the weight and bias correction (ΔV_{ij} and ΔV_{0j}) between the input layer and the hidden layer.

$$\delta_j = (\sum_k \delta_k W_{jk})_{k=1}^m f'(V_{oj} + \sum_i X_i V_{ij})_{i=1}^n \quad (6)$$

$$\Delta V_{ij} = \alpha \delta_j X_i \quad (7)$$

$$\Delta V_{oj} = \alpha \delta_j \quad (8)$$

Phase Change of weight and bias

Step 9 : In each unit of output Y_k (from unit 1 to unit m) changes are biased and weighted ($j=0, \dots, p$; $k=1, \dots, m$) so the new bias and weights become:

$$W_{jk}(\text{baru}) = W_{jk}(\text{lama}) + \Delta V_{ij} \quad (9)$$

from the 1st unit to the p unit in the hidden layer also changes the bias and its weight ($i=0, \dots, n$; $j=1, \dots, p$):

$$V_{jk}(\text{baru}) = V_{jk}(\text{lama}) + \Delta V_{ij} \quad (10)$$

Step 10 : The stop condition test

III. METHODOLOGY

In conducting the research in order to obtain the expected results, a research framework is required. Where the research framework is done as illustrated as Figure 2 :




Figure 2 : Research Framework

A. Preliminary Research

In the preliminary study the authors do an understanding of the research with one form describes the research framework. The framework of this study has a function to regulate the activities undertaken in the study from the beginning until the completion of this study

B. Method of Collecting Data

The data used is the Dollar Exchange Rate Index, the money supply, inflation. Data needed in this study is 2016 data.

C. Data Training Method

Training data retrieved first March 2016 and test data retrieved first September 2017.

D. Data Analysis

The Data analysis phase is the most important stage in the development of a system, because it is at this stage that performance evaluation will be carried out later, identification of existing problems, system design and steps required for the design of the desired system to the expected analysis.

E. System Analysis

System analysis is a decomposition of a complete information system into its component parts with a view to identifying and evaluating problems, opportunities, obstacles that occur and the expected needs so that improvements can be proposed.

IV. RESULTS

A. Data Analysis Process

System analysis is a description of a complete information system into a part that is formed from a useful component to identify and evaluate the BI Rate forecast.

Table 1. Artificial Neural Network Data

Year	Month	Kurs	JUB (M2)	Inflation	IHSG	BI Rate
		(IDR/USD)	(Billion) IDR	(%)	(Million) IDR	(%)
2016	Mar	13.276k	4.562k	3,61	4.845k	5,5
2016	Apr	13.204k	4.582k	3,83	4.839k	5,5
2016	May	13.615k	4.614k	3,49	4.797k	5,5
2016	Jun	13.180k	4.738k	3,02	5.017k	5,25
2016	Jul	13.094k	4.730k	3,58	5.216k	5,25
2016	Aug	13.615k	4.746k	3,31	5.386k	5,25
2016	Sep	12.998k	4.738k	3,07	5.365k	4,75
2016	Oct	13.051k	4.779k	2,79	5.423k	4,75
2016	Nov	13.563k	4.869k	3,21	5.149k	4,75
2016	Dec	13.436k	5.005k	3,45	5.103k	4,75
2017	Jan	13.343k	4.937k	3,33	5.303k	4,75
2017	Feb	13.343k	4.938k	3,6	5.383k	4,75

B. Transformation Process

The activation function used to process the data above is sigmoid (binary) function. Then the data must be transformed first because the output range of the sigmoid activation function is $[0,1]$. The data is transformed into smaller intervals, eg at $[(0,1), (0,9)]$ intervals.

Table 2. Data Input Transformation Training Results

X1	X2	X3	X4	T
0,1006	0,2179	0,7116	0,2373	0,1001
0,8689	0,2203	0,1354	0,2341	0,1001
0,9	0,2297	0,1	0,2507	0,1001
0,8671	0,2291	0,1422	0,2658	0,1001
0,8606	0,2303	0,1218	0,2786	0,1001
0,9	0,2297	0,1037	0,277	0,1001

Table 3. Results of Test Data Input Transformation

X1	X2	X3	X4	T
0,858	0,2476	0,1	0,2954	0,2455
0,8619	0,2543	0,1311	0,2751	0,2455
0,9	0,2644	0,149	0,2716	0,2455
0,9805	0,2593	0,1401	0,2865	0,2455
0,8836	0,2595	0,1601	0,2924	0,2455
0,8836	0,1003	0,2232	0,308	0,2455

C. Network Architecture

The pattern of this training process, the author will try to do the training using some appropriate and accurate patterns so that it can determine the right qualification of the supply request. These patterns are the number of neurons in the input layer as many as 4 neurons, the number of neurons in the hidden layer are 2 neurons, the error tolerance is 0.01, the Learning Rate is 0.95, the momentum is 0.5 and Max epoch is 100000.

D. Backpropagation Algorithm Design

At this design stage the results of the analysis that has been obtained will be applied to the steps of the backpropagation algorithm using the sigmoid activation function. The steps for using the backpropagation algorithm are [5]:

1. Initialization Phase
It is a step to define initial values for the required variables
2. Stage Activation
At this stage, there are two activities, namely calculating actual output on the hidden layer and actual output on the output layer
3. Stage Weight Training
At this stage there are two activities: calculating gradient errors in the output layer and calculating gradient errors in the hidden layer
4. Phase Iteration
At this last stage is the stage for testing where if the expected error has not been found, it will return to the second stage, the activation stage

E. Calculation Process of Artificial Neural Network BackPropagation Algorithm

To form the Artificial Neural Network, first initialization of the initial weights, the initial weights that connect the knots in the input layer and the hidden layer for the above architecture are $v = (v_{11}, v_{12}, v_{21}, v_{22}, v_{31}, v_{32}, v_{41}, v_{42})$ and the bias weights are randomly selected, as well as the initial weights that connect the nodes in the hidden layer and the output layer (w_1, w_2) are also randomly selected

Table 4. Initial weight and input bias to hidden from matlab

	Z1	Z2
X1	96.3588	97.0264
X2	-362.88	314.055
X3	24.1552	-57.359
X4	-60.045	9.9249
Bias	5.3452	-147.38

Table 5. Initial and hidden weights to the output from matlab

Y	Z1	Z2	BIAS
	0.7061	0.2441	0.0265

X1 = 0.8744
X2 = 0.2179
X3 = 0.1445
X4 = 2373

V11 = 96.3588 V12 = 97.0264
V21 = -362.878 V22 = 314.0554
V31 = 24.1552 V32 = -57.3593
V41 = -60.0448 V42 = 9.9249

$$W11 = 5.3452$$

$$W12 = -147.375$$

$$\Theta 1 = 0.915$$

$$\Theta 2 = 0.9298$$

$$\Theta 3 = -0.6848$$

- Step 0 : Initialize all weights with small random numbers.
Step 1 : If the calculation condition has not been met, do the steps 2-9
Step 2 : For each pair of training data, do 3-8
Step 3 : Each input unit receives the signal and continues it to the hidden unit above it.
Step 4 : Calculate all outputs in the hidden unit Z_j ($j= 1,2,\dots,p$).

$$Z_{netj} = \left[v_{jo} \sum_{i=1}^n x_i v_{ji} \right]$$

$$Z_{net 1} = 0.9150 + (0.8744*96.3588) + (0.2178*-362.878) + (0.7116*24.1552) + (0.2373-60.0448) = -0.2279$$

$$Z_{net 2} = 0.9298 (0.8744*97.0264) + (0.2178314.0554) + (0.7116-57.3593) + (0.2373*9.9249) = -0.03568$$

$$Z_j = \frac{f(z_{netj})}{1 + e^{-z_{netj}}}$$

$$Z1 = 0.04432$$

$$Z2 = 0.4910$$

- Step 5 : Calculate unit output Y_k
Because the network only has an output unit y then $y_{net k}$

$$Y_{netk} = w_{ko} + \sum_{j=1}^p z_j w_{kj}$$

$$Y_{net} = -0.6848 + (5.3452 * 0.04432) + (-147.375 * 0.4910) = 0.1773 = 0.544229$$

Checking for errors, the iteration will stop when | error | < 0.01.

$$Error = (0.2872 - 0.544229) = -0.2570$$

- Step 6: calculate the factor in the output unit y_k

$$\delta k = \delta = (t - y)y(1 - y) = (0.2872 - 0.544229) * (0.544229 (1 - 0.544229)) = -0.1171$$

Change rate of W_{kj} weight:

$$\Delta w_{kj} = \alpha \cdot \delta k \cdot Z_j$$

$$\alpha = 0.95$$

$$\Delta w_{10} = 0.95 * (-0.1171) * 1 = -0.1112$$

$$\Delta w_{11} = 0.95 * (-0.1171) * 0.0525 = -0.0058$$

$$\Delta w_{12} = 0.95 * (-0.1171) * 0.0026 = -0.0002$$

Step 7: Calculate the summation of errors from hidden units

$$\delta_{net_j} = \sum_{k=1}^m \delta_k w_{kj}$$

$$\begin{aligned} _net1 &= -0.1171 * 0.915 = -0.1071 \\ _net2 &= -0.1171 * -147.375 = 17.2576 \end{aligned}$$

Error factor in the hidden unit

$$\begin{aligned} 1 &= 0.1071 * 0.04432 * (1 - 0.04432) = 0.0045 \\ 2 &= 17.2576 * 0.4910 * (1 - 0.4910) = 4.3130 \end{aligned}$$

Table 6. Change the input weight to hidden

	Z1	Z2
X1	$(0.95) * (0.0045) * (0.8744) = 0.00374$	$(0.95) * (4.3130) * (0.8744) = 3.5827$
X2	$(0.95) * (0.0045) * (0.2179) = 0.0009$	$(0.95) * (4.3130) * (0.2179) = 0.8928$
X3	$(0.95) * (0.0045) * (0.1445) = 0.0006$	$(0.95) * (4.3130) * (0.1445) = 0.5920$
X4	$(0.95) * (0.0045) * (0.2373) = 0.0010$	$(0.95) * (4.3130) * (0.2373) = 0.9723$

Step 8: Calculate all changes in weight Change in unit weight:

$$\begin{aligned} \Delta W_{kj}(\text{baru}) &= \Delta W_{kj}(\text{lama}) + \Delta W_{kj} \\ \Delta W_{11}(\text{baru}) &= (-0.1112) + 5.234 \\ &= -147.375 + (-0.0058) = -143.3808 \\ &+ (-0.0002) = -0.685 \end{aligned}$$

Table 7. Changes in bias and new bias in hidden neurons

Bias Changes in New Hidden		Bias Neurons in Hidden Layer Neurons	
$\Delta V[0,1]$	$0.95 * 0.0045 = 0.004275$	$V[0,1]$	$0.004275 + 0.04432 = 0.4859$
$\Delta V[0,2]$	$0.95 * 4.3130 = 4.0973$	$V[0,2]$	$4.0973 + 0.4910 = 4.5883$

Table 8. Changes in new input weights

new	Z1	Z2
X1	$96.3588 + 0.00374 = 96.3625$	$97.0264 + (3.5827) = 100.6091$
X2	$-362.878 + (0.0009) = -363.8771$	$314.0554 + (0.8928) = 314.9482$
X3	$24.1552 + (0.0006) = 24.1558$	$-57.3593 + (0.5920) = -56.7673$
X4	$-60.0448 + (0.0010) = -60.0438$	$9.9249 + (0.9723) = 10.8972$

From the results of processing and design using artificial neural networks with backpropagation method, it can be seen the relationship that Artificial Neural Networks can be used to predict the movement of the BI Rate based on the Dollar Rate,

Amount of Money in circulation, Inflation, and Ihsq as input and the BI rate for tomorrow as output his

$$\begin{aligned} X &= y * (x_{max} - x_{min}) + x_{min} \\ &= 0.1773 * (13.615 - 3.02) + 3.02 = 4.89 \end{aligned}$$

This manual data processing will then be processed using MATLAB for some network architecture patterns. The results obtained from the data processing using MATLAB will then be compared with the results of manual data processing to see the difference in results. In using the backpropagation method, the architectural pattern used greatly influences the process of determining results. Each result obtained by an architectural pattern allows different results obtained using other architectural patterns.

F. Verification Process with Matlab

Matlab is a supporting application to help get Hidden values and Bias values from data with the backpropagation method. The following are the test steps with matlab:

Enter the Input and Target values on the CommandWindow page in Matlab with the formula for input $\gg p = [;];$ and Target $\gg t = [;];$

Like the picture below:

```
p=[0.8744 0.8689 0.9 0.8671 0.8606 0.9;
0.2179 0.2203 0.2297 0.2291 0.2303 0.2257;
0.1445 0.1461 0.1354 0.1 0.1422 0.1213;
0.2373 0.2341 0.2507 0.2458 0.2786 0.277;];

t=[0.2872 0.2872 0.2872 0.2683 0.2683 0.2683];

net = newff(minmax(p), [2,1], {'logsig','purelin'}, 'tra
```

Figure 3. Display Input Input and Target

After getting the bias value then do the testing by entering coding with the net value. Trainparam.epochs = 100,000; net.trainparam.goal = 0.01; and after entering, do the testing with coding input net = train (net, p, t); After getting the maximum value of the Epoch, which is the Epoch number 13/100000, MSE 0.0098496, Gradient 0.014593. as shown below:




Figure 4. Epoch Testing Display

After using the tools with Matlab Software, the author tries to compare the network architectural patterns from several patterns used. Comparison of patterns aims to find the best patterns of several network patterns that are built. The following are the results of a comparison of several patterns:

Table 9. Comparison of network patterns

Training		Testing	
Pattern 4-2-1		Pattern 4-2-1	
mape	0,00246025	mape	0,00277374
%mape	0,2460246	%mape	0,27737368
accuracy	99,7539754	accuracy	99,7226263
Pattern 4-3-1		Pattern 4-3-1	
mape	0,010758219	mape	0,004703714
%mape	1,075821868	%mape	0,470371448
accuracy	98,92417813	accuracy	99,52962855
Pattern 4-4-1		Pattern 4-4-1	
mape	0,00761219	mape	0,002317913
%mape	0,761218979	%mape	0,231791291
accuracy	99,23878102	accuracy	99,76820871
Pattern 4-5-1		Pattern 4-5-1	
mape	0,00761219	mape	0,002899816
%mape	0,761218979	%mape	0,289981573
accuracy	99,23878102	accuracy	99,71001843

Based on the comparison comparison seen, the author concludes that the best pattern can be seen from the results of the highest accuracy values are in the 4-2-1 pattern with an average accuracy value of 99.73%

Next, it is proven by manual search and compared with the value that can be obtained from the Y value and the error using 1 epoch. Like figure 7 below.

G. Manual Testing

In this manual testing process using Microsoft Excel-2007 software. This process is the process of searching the value of manual design of Backpropagation algorithm. At this design stage the results of the analysis that has been obtained will be applied to the web that has been designed. The search process is:

- Calculate all hidden the unit outputs Z_j
- Calculate the unit output Y_k
- Calculate the diunit output factor y_k
- Calculate the sum of errors from hidden units

After the calculation process has been carried out, the author tries to do a second comparison, namely the comparison of the results of the network output value with a predetermined target. following the results of the comparison that has been done:

Table 10. Comparison of Network Outputs with Targets

Comparison of Network Output with Target	
Yink	0,177379
Target	0,2455

H. Web Based View

Website based display is an offline application which will open it by running Mowes Potrteble and will show automatically Localhost on Mozilla Firefox. That way the admin can access this system. Website-based apps can be used by admins, where admins can run all their respective functions such as accessing certain menus in accordance with the provisions.

- Data Display

In this view all the data in the system and the admin can add data to the system.



Figure 5. Data Display

- Add Data View

Display new data input is a page for admin to add data for predicting needs.




Figure 6. Display Manage Data Form

- Predicted Results Data View
Predictive data view is an existing data page predicted by BI Rate.

No	Kursi/Pe	JAB (Miliar)	Infansi (%)	HRG	Prediksi BI Rate (%)	Aksi
1	17.776	4.071	3.61	8.741	5.15	Hapus
2	12.232	4.1819	3.89	8.059	4.72	Ubah
3	17.734	4.0749	3.60	8.700	5.17	Hapus
4	12.010	4.031	3.70	8.070	5.09	Ubah
5	12.18	4.737	3.02	7.214	2.76	Hapus
6	17.147	4.17	3.76	7.911	5.18	Hapus
7	12.3	4.740	3.51	7.088	2.76	Ubah
8	17.701	4.076	3.21	7.640	3.6	Hapus
9	12.439	4.020	3.75	7.802	3.8	Ubah
10	17.743	4.076	3.00	7.707	5.09	Hapus
11	12.719	4.038	3.6	7.062	3.6	Ubah

Figure 7. Display Prediction Result Data Form

V. CONCLUSION

- Forecasting or prediction process with Backpropagation algorithm is able to provide solutions to problems in determining the BI Rate, the resulting forecasting results

are presented in the form of predictive numbers more quickly, accurately and have a fairly small error rate.

- The accuracy of the results of forecasting depends on how much tolerance the error is obtained from the calculation process based on the network architecture.
- This prediction or forecasting process is implemented in the form of an application that can be used easily in an effort to forecast the BI Rate.

References

- [1] Anwar, Badrul, (2011), "Penerapan Algoritma Jaringan Syaraf Tiruan Backpropagation Dalam Memprediksi Tingkat Suku Bunga Bank". Jurnal SAINTIKOM Vol. 10 / No. 2 STMIK Triguna Dharma.
- [2] Bank Indonesia. (2016). Diakses dari <http://www.bi.go.id>
- [3] Febriana, Mira, Faula Arina, and Ratna Ekawati. "Peramalan Jumlah Permintaan Produksi Menggunakan Metode Jaringan Syaraf Tiruan (JST) Backpropagation." Jurnal Teknik Industri Untirta 1.2 (2013).
- [4] Jek, Siang Jong. "Jaringan Syaraf Tiruan dan Pemrogramannya." Yogyakarta: Penerbit Andi (2009).
- [5] Kiki, Sri Kusumadewi. "Analisis Jaringan Syaraf Tiruan dengan Metode Backpropagation Untuk Mendeteksi Gangguan Psikologi." Yogyakarta: Universitas Islam Indonesia (2004).
- [6] Nurmila, Nazla, Aris Sugiharto, and Eko Adi Sarwoko. "Algoritma back propagation neural network untuk pengenalan pola karakter huruf jawa." Jurnal Masyarakat Informatika 1.1 (2010): 1-10.
- [7] Sari Indah Anatta Setiawan. "Penerapan Jaringan Syaraf Tiruan Metode Backpropagation Menggunakan VB6". Jurnal ULTIMATICS, Vol.III, No.2, Desember 2011. ISSN 2085-4552.
- [8] Setiawan, Wahyudi, (2008), "Prediksi Harga Saham Menggunakan Jaringan Syaraf Tiruan Multilayer.
- [9] Sutojo, T., Edy Mulyanto, and Vincent Suhartono. "Kecerdasan Buatan". (2011).

PREFACE

Welcome to the 5th Proceeding of International Conference of Information Technology Systems and Innovation (ICITSI) 2018. The international conference was held in Bandung and Padang, 22nd-26th October 2018. ICITSI 2018 is hosted by School of Electrical Engineering and Informatics, Institut Teknologi Bandung in collaboration with Faculty of Information Technology Universitas Andalas, and sponsored by IEEE Indonesia Section.

We invited world renowned academics for keynote speakers, namely Prof. Minoru Okada - Nara Institute of Science and Technology, Professor of Information Science, Dr. Ir. Arry Akhmad Arman, M.T – Director of STI, Institut Teknologi Bandung, and Dr. Eng. Khoirul Anwar - Telkom University.

We have received 298 submissions for ICITSI 2018. After thorough reviews by reviewers, our Program Committee accepted 109 papers (acceptance rate: 36.58%) for the conference. Afterwards, 103 from 109 accepted papers were officially registered for the conference noted by camera-ready submission for IEEEExplore publication and conference proceeding. Later, all authors with registered papers are enlisted to present the paper at the conference. We would like to thank all invited speakers, authors, reviewers, participants, committee members, and sponsors for their supports and contributions in this conference.

Suhardi (ITB, Indonesia)

General Chair of ICITSI 2018

GIVEN TO

Rini Sovia

AS THE PRESENTER FOR THE PAPER ENTITLED

**"Bank Indonesia Interest Rate Prediction and Forecast
With Backpropagation Neural Network" Technology
Systems and Innovations**


International Conference On
Information Technology Systems And Innovation

Dr.-Ing. Ir. Suhardi, SH., MH.
Conference Chair

